Journal of the American College of Cardiology
© 2000 by the American College of Cardiology
Published by Elsevier Science Inc.

Vol. 36, No. 7, 2000
ISSN 0735-1097/00/$20.00
PII S0735-1097(00)01146-3

Author Index: Volume 36

Aalbregt R, 51
Aaronson KD, 1594
Abboud R, 1110
Abel JG, 1104
Abete P, 643, 1437
Abraham SA, 2146
Achenbach S, 44
Acio ER, 1913
Adams DE, 924
Addonizio LJ, 1897
Afanasyeva M, 1992
Agostoni PG, 1600
Ahmed JM, 1186
Aihara N, 1646
Akasaka T, 731, 1529
Akhtar M, 1303
Akkila J, 1903
Alanen K, 122
Alessandri C, 427
Alexopoulos G, 2090
Alfieri O, 2104
Alfonso F, 303, 1549
Alimard R, 1818
Allard MF, 1378
Al-Obaidi MK, 1217
Alpert NM, 2146
Al-Saadi N, 1557
Altmann E, 2064
Alves PAG, 167
Amanullah A, 1913
Ambrosioni E, 2047
Anastasiou-Nana MI, 2090
Anderson FP, 1818
Anderson JL, 1248, 1774
Anderson KP, 2247
Anderson RA, 1474
Anderson S, 541
Angerer P, 1781, 1789
Anker SD, 523, 656
Ankri A, 110
Annegers AF, 1434
Anstrom KJ, 723
Anthopoulos L, 2090
Antman EM, 1812
Antonelli TA, 1077, 1097, 1104, 1117
Aonuma K, 811
Aoyama T, 635
Applebaum RM, 468
Arad Y, 1253
Araki M, 1411
Arani DT, 395, 1194
Arani RB, 1913
Ardans J, 1797
Arevalo JL, 1239
Arima K, 776
Arita M, 1626
Armstrong WF, 1594
Arnaud E, 871
Aroney CN, 305
Atar S, 1935
AtheroLink Study Group, 1853
Atherton J, 1328
Auerbach AD, 2119
Auguadro C, 746
Augustin N, 1927
Avkiran M, 534
Ayers GM, 1303
Azimilide Supraventricular Arrhythmia Program 3 (SVA-3) Investigators, 794

Baan J, 2104
Baba T, 115
Bache RJ, 282
Bachinsky WB, 1489
Badimon JJ, 2303,
Baer FM, 1437, 1853
Bailey KR, 472
Bailey LL, 250
Bair TL, 1248, 1774
Bairey Merz CN, 1565
Bairey-Merz CN, 1419
Baker CM, 1684
Baldus S, 69
Balidemaj K, 845
Ballantyne CM, 1572
Ballestèr M, 2198
Balog C, 381
Bänsch D, 557, 566
Bañuelos C, 1549
Bär F, 51
Barbosa RCP, 167
Barr A, 1507
Barron HV, 706, 2254
Barseness GW, 674
Bashore TM, 2204
Basili S, 427
Basso C, 2226
Batchelor WB, 723
Batchvarov VN, 1749
Bates ER, 1123
Batista RJV, 2104
Battler A, 685
Bauce B, 2226
Baughman KL, 227
Baumann G, 1520
Baumgartner H, 255, 1355
Bauters C, 404
Becassis P, 871
Bechtel JFM, 1173
Beck L, 871
Beck OA, 139
Becker K, 608
Beckerath N, 84
Begley D, 2270
Belhassen B, 803
Belkin R, 541
Bell MR, 674, 1436
Bell SP, 2296
Bella JN, 461
Beller GA, 295, 652, 955, 957, 1428, 1722, 2009, 2348
Berbari EJ, 924
Berger AK, 366
Berger F, 583
Berger J, 69
Berger PB, 674, 2168
Berger PR, 1436
Bergman G, 1077
Bergman K, 1619
Berkhuysen MA, 202
Bermann SR, 1432
Bernà L, 1310
Bernard YD, 255
Berry KL, 94
Berti M, 185
Bertrand OF, 59
Betriu A, 1489
Bett N, 305
Beygui F, 404
Bhargava B, 65, 1389
Bhatia A, 1265
Bianconi L, 2234
Bick RJ, 891
Bigger JT Jr., 1166
Bigonzi F, 693
Bilchik BZ, 2140
Bilger J, 233
Binder L, 1632
Binder TM, 1355
Binggeli C, 213
Binkley PF, 90, 509
Bisi G, 739
Bittner V, 1565
Black AJR, 387
Blackman DJ, 1474
Blackstone EH, 2098
Blamire AM, 1953
Blann AD, 2044
Blatt A, 832
Blatt CM, 2140
Block M, 557, 566
Bloomfield DM, 2247
Bluemke DA, 2339
Blumenthal RS, 308, 668
Böcker D, 557, 566
Bode C, 1489
Bode-Böger SM, 2287
Boege F, 1280
Boehm EA, 1953
Boehmer JP, 227
Bogaty P, 2317
Böger RH, 2287
Bogers AJJC, 878
Boghossian SH, 167
Boivin V, 1280
Boland J, 1063, 1084, 1091, 1097, 1117, 1123
Bollinger F, 824
Bolognese L, 739
Bonan R, 59
Booth JE, 381
Borghi C, 2047
Borkowf CB, 1877
Bornstein DA, 2325
Borrás X, 2198
Borst C, 13
Borzak S, 679
Bossaller C, 2064
Bossi I, 387
Böttiger C, 84, 2168
Bourassa MG, 355
Box JW, 685
Braith RW, 487
Braunwald E, 970, 1812
Breithardt G, 557, 566
Brett SE, 1233
Bridges CR, 1870
Bristow MR, 501
Brodde O-E, 608
Brook MM, 2279
Brouwer J, 2047
Browett PJ, 717
Brown RJ, 1117
Brownsey RW, 1378
Brügemann J, 202
Brundage BH, 32, 547
Brunet J, 871
Brunn J, 566
Buchert R, 1676
Buchwald AB, 1632
Buck T, 1959
Buda T, 2098
Budoff MJ, 32
Buell HE, 2174
Buja G, 2226
Buller CE, 1063, 1084, 1104
Buller E, 1084
Burger AJ, 1435
Burian D, 932
Burnett JC Jr., 1706
Burstow DJ, 305
Bussotti M, 1600
Büttner HJ, 2064

CABG Patch Trial Investigators Coordinators, 1166
Cabot C, 381
Cabot CF, 75
Cacciatore F, 643
Cairns P, 262
Calabrese C, 643
Califf R, 381
Califf RM, 75, 310, 685, 693, 1489, 2119
Calò L, 159, 2234
Calvin JE, 1803
Camici PG, 103
Camm J, 1303
Campeau L, 1877
Canadian Efficacy Safety of Subcutaneous Enoxaparin in Non-Q-Wave Coronary Events (ESSENCE) ST Segment Monitoring Substudy Group, 1507
Cannon CP, 1812
Cannon RO III, 1483, 1797
Canter CE, 1178
Canto JG, 706, 2056
Cantor WJ, 1142
Capomolla S, 1612
Caponi D, 159
Cappelletti A, 304
Caputo R, 288
Carbonara O, 219
Cardillo C, 1483
Cardinale D, 517
Cardon L, 1664
Cardon LA, 900
Carlquist JF, 1248, 1774
Carnendran L, 1091
Carnovale V, 739
Carreras F, 2198
Carrié D, 404
Carrió I, 1310, 2198
Carro E, 1827
Carson PA, 541
Cascorbi I, 1520
Castro A, 2234
Castrucci M, 557
Celermajer D, 255
Celermajer DS, 417, 1228
Celeste F, 185
Cephus CE, 250
Cercek B, 1935
Cetta F, 255
Chan JR, 2287
Chan R, 1389
Chandar JS, 583
Chandrasekar B, 1972
Chang M-S, 788
Chaptal P-A, 871
Charpentier F, 939
Chaudhry FA, 1913
Chawla PS, 1396
Cheetham C, 1461
Chen C-C, 788
Chen C-H, 1439
Chen E-L, 1985
Chen HH, 1706
Chen M-F, 453
Chen P-S, 1324, 2000
Chen S-A, 788
Chen S-H, 282
Chesebro JH, 2303
Chew DP, 2028
Chew EY, 1239
Chia K, 1959
Chiale PA, 1637
Chiang C-E, 1
Chiariello M, 288
Chierchia S, 2154
Chinnock RE, 250, 1178
Chiou C-W, 788
Cho L, 381
Chook P, 1228
Choussat R, 110, 387
Chow CM, 1959
Chow LTC, 276
Chowienczyk PJ, 1233
Christenson J, 1500
Chronos NA, 2132
Chyou P-H, 2242
Ciardiello F, 288
Cinieri S, 517
Cioppa A, 643
Cipolla CM, 517
Citron B, 404
Civelli M, 517
Clague A, 438, 1328
Clark A, 2284
Clark T, 438
Clarke K, 1953
Cleland JGF, 2284
Clough P, 181
Coats AJS, 523
Cobelli F, 1612
Cocke TP, 1097
Cohen DJ, 1223, 1526
Cohen M, 693, 1507
Cohn G, 668
Cohn JN, 529
Col J, 1091, 1117
Colhoun HM, 2160
Colin P, 404
Collet JP, 110
Collier BD, 1265
Collins P, 2154
Collinson P, 1217
Collis J, 1461
Coltart DJ, 1233
Commeau P, 404
Connery C, 1117
Connolly HM, 255
Connolly SJ, 794

Connors AF, 2119
Conroy R, 1217
Cook AC, 593
Cooke GE, 90, 509
Cooke JP, 2287
Coombs LP, 1870
Cooper P, 181
Corrado D, 2226
Correia-Pinoto J, 1438
Corretti MC, 1455
Corti R, 213
Costa MA, 1536
Coste P, 404
Cotter G, 832
Cottin Y, 1389
Cox D, 1514
Cozzolino D, 219
Crean P, 1210, 1514, 2257
Crijns HJGM, 202, 2047
Crilley JG, 1953
Cropp A, 541
Cross D, 1328
Crozier IG, 479
Cruz Filho FES, 167
Csako G, 1797
Cullen J, 307
Cummings PM, 758, 2185

Daliento L, 2226
Damaraju LV, 75
Dangas G, 1186, 1542
Daniel WG, 44
Danieli GA, 2226
Dassen W, 51
Davidson WR, 255
Davis RB, 2119
Davy JM, 871
Dawkins KD, 658
Dawson MS, 1913
Dawson NV, 2119
De Backer G, 766
De Buyzere M, 766
de Gevigney G, 2096
de Groote P, 2263
De Hert SG, 1438
de Kam PJ, 2047
de Lemos JA, 423
de Muinck E, 51
De Sutter J, 766
de Swart H, 51
de Ziegler D, 2154
Deanfield JE, 410
Debailleul M, 939
Dec GW, 501
Deckers J, 685
Deguchi H, 1920
del Nido P, 1371
Delahaye F, 2096
Dellborg M, 255
DeLong ER, 2174
Demers C, 693
Deming DD, 250
Dens J, 1123
Desai S, 824
Desbiens N, 2119
Detrano RC, 309
Devereux RB, 461
DeWood MA, 501
Dhein S, 608
Di Donna P, 159
Di Lorenzo E, 288
Dickie S, 2212
Dieplinger H, 751
Dieter RS, 1436
Dimmeler S, 2081
Ding Y-A, 788
Dini FL, 1295
Dinsmore WW, 25
Doerner A, 233
Doherty T, 309
Doi R, 2333
Domanski MJ, 1877
Donald AE, 410
Dorian P, 1303
Dose Finding Study Group, 1536
Drachman DE, 2325
Drobinski G, 110
Dubois-Randé JL, 404
Duda SH, 375
Duff GW, 2168
Dumesnil JG, 1131
Dunn JK, 852, 1572
Dunzendorfer S, 656
Dupouy P, 404
Durani M, 1884
Dyamenahalli U, 262
Dzavik V, 1063, 1110, 1117, 1123

Eaker E, 2242
Eaton GM, 90, 509
Ebinger M, 574
Eckardstein A, 751
Edelman ER, 2325
Edenbrandt L, 1827
Edwards FH, 1870
Efficacy Safety of Subcutaneous Enoxaparin in Non–Q Wave Coronary Events (ESSENCE) Study Group, 693
Egstrup K, 1841
Eguchi M, 1767
Eldar M, 803
Elhendy A, 2017
Elix H, 1336
Elizari MV, 1637
Elliott PM, 864, 2212
Ellis GR, 1474
El-Sherif NE, 2247
Engelen MPKJ, 547
Enoximone Study Group, 501
Enriquez-Sarano M, 472
Epstein ML, 602
Epstein N, 1467, 1579
Epstein SE, 1239
Erbel R, 22
Erdmann E, 1437
Eriksson BE, 1619
Erley CM, 375
Escaned J, 1549
Estes NAM III, 2247
Estorch M, 1310
Eto Y, 242
Every N, 2056
Every NR, 1500

F.R.O.S.T. Study Group, 404
Fabsitz RR, 461
Fagundes MLA, 167
Faigenberg Z, 832
Fajadet J, 387
Falcone C, 746
Falk E, 13
Fallon JT, 2303
Fan L-T, 1324
Fananapazir L, 2270
Faxon DP, 299
Feldman AM, 529
Feldman LJ, 404
Felker GM, 227
Ference BA, 1526
Ferguson JJ III, 1396
Ferlic LL, 1572
Fernández C, 1549
Fernández-Ortíz A, 1549
Ferrara N, 643, 1437
Ferro D, 427
Fetics B, 1439
Fieno DS, 1985
Figueras J, 2036
Fiorentini C, 517
Fioretti PM, 2017
Firstenberg MS, 900, 1664, 1942
Fisch C, 1737
Fischer D, 618
Fischman AJ, 2146
Fish R, 803
Fishbein MC, 1324
Fishman DP, 461
Fitzgerald DJ, 1514
Fitzpatrick AP, 179, 181
Flamm SD, 900
Flanagan MF, 1178
Fleck E, 1557
Flevari P, 174
Foley JB, 1210, 2257
Foody JM, 381
Forkmann L, 1336
Forman R, 1110
Forrester JS, 1419
Förstermann U, 628
Forycki F, 1489
Foster E, 255
Foucher C, 2263
Fouron J-C, 262
Fox E, 1959
Fox KAA, 693
Franciosi G, 159
Franco DA, 1637
Franz MR, 1654
Frapier J-M, 871
Frederick PD, 706, 2056
Freedom RM, 908
Freisinger GC II, 713
French JK, 717, 1077, 1091, 1123
Frenneaux MP, 1474
Freyssinet J-M, 2081
Frid D, 541
Fritz-Hansen T, 2072
From AHL, 282
Fromell GJ, 693, 1507
Frumin HI, 784
Fujii M, 838, 1587
Fujino Y, 1847
Fujioka S, 1920
Fujita M, 1411
Fukushi T, 1847
Fuller JH, 2160
Funk EJ, 301
Furber A, 404
Furgi G, 1437
Fuster V, 2303

Gaasch WH, 1404
Gabel M, 1713
Gabraele M, 2154
Gaita F, 159
Galbraith A, 305
Gallotti R, 159
Gamble G, 438
Garberoglio L, 159
Garcia MJ, 1664, 1942
Gare M, 306
Garlick AH, 479
Garner D, 932
Garot J, 2339
Garratt KN, 674
Gawaz M, 84
Gebauer MU, 699
Gedele FA, 301
Gee L, 39
Geethanjali FS, 751
Geiger C, 628
Geleijnse ML, 2017
Geller NL, 1877
Gemmel I, 2284
Genest JJ Jr, 758
Gentile S, 219
Gentilucci G, 2234
Gerlach U, 939
Gersony WM, 255
Gessner IH, 255
Geva T, 262, 1371
Gewirtz H, 2146
Ghaisas NK, 2257
Gheeraert P, 1433
Gibler WB, 1500
Gibson CM, 1497
Gibson RD, 1432
Giddens K, 758, 2185
Gillebert TC, 1438
Gilljam T, 908
Gitt AK, 2064
Gladstone AR, 301
Glick A, 803
Glikson M, 803
Glogar D, 1860
Gnecchi-Ruscone T, 103
Go AS, 706
Godfrey E, 1063
Gold MR, 2247
Goldberg RJ, 2140
Goldberger M, 1123
Goldman L, 2119
Goldschmidt-Clermont PJ, 90
Goldstein S, 1698
Golik A, 832
Goodman K, 1253
Goodman SG, 693, 1507
Goormastic M, 2098
Gorczynski RJ, 501
Gorenflo M, 1440
Gosiewska E, 1365
Goto Y, 115
Gotto AM Jr., 1572
Gottwik M, 2064
Goya M, 811
Graboys TB, 2140
Graf A, 1336
Graham I, 1217
Graham TP Jr., 255
Granada J, 2242
Grantham JA, 1706
Grazi M, 1600
Green D, 1461
Greenberg M, 1117
Greenberg MA, 501
Greenberg ML, 2247
Greenberg NL, 900, 1664, 1942
Griffin BP, 208
Griffiths K, 417
Grill DE, 674
Groenning BA, 2072
Groh WJ, 2247
Grolleau R, 871
Grollier G, 404
Groothuis AR, 2325
Gross M, 1557
Grosswald R, 723
Grover FL, 1152
Gruberg L, 1542
Guazzi M, 185, 1600
Guazzi MD, 185
Guerci AD, 1253
Gunasegaram S, 534
Gunsburg DZ, 1344
Günther RW, 375
Gupta PC, 900
Gupta RC, 1698
Gurfinkel EP, 693
Gyöngyösi M, 1860

Haas F, 1927
Habashi J, 1248
Haddad J, 583
Haeberli A, 699
Haehnel C, 1927
Haendeler J, 2081
Hallin R, 1619
Hallstrom AP, 1500
Hamdan MH, 151
Hamel MB, 2119
Hamm CW, 69
Hammermeister K, 1152
Hammoud T, 355
Hamon M, 404
Hanada H, 1847
Handberg EM, 1565
Hanley FL, 2279
Hannan EL, 395, 1194
Harding SE, 534
Hare JM, 227
Harel F, 59
Harper RJ, 1500
Harrington RA, 75, 685
Harris KM, 2014
Harrison JK, 2204
Hart D, 1077
Hart H, 438
Hart N, 1248
Hart NI, 1774
Hartig D, 69
Hartmann M, 628
Hasdai D, 685
Hasegawa K, 1411
Hasenfuss G, 1903
Hashimoto A, 1767
Hashimoto M, 1605
Hassan A, 1860
Hatayama T, 1847
Haudenschild CC, 1396
Hayakawa T, 1202
Hayashi M, 838, 1587
Hayashi N, 776
Hayes J, 2242
Hayot M, 871
Hébert D, 2311
Hellman R, 1265
Hellner G, 1336
Henderson WG, 1152
Hennekens CH, 423
Henrichs E-M, 233

Herd JA, 1572
Hernández C, 1549
Hernández R, 1549
Herrmann HC, 1489
Heusch G, 22
Higginbotham M, 501
Higgins GL, 1500
Higgins SL, 824
Hildebrandt PR, 2072
Hildick-Smith DJR, 1889
Hilgenberg AD, 884
Hill C, 1507
Hill JA, 487
Hill SL, 1992
Hillis LD, 1110
Hilton-Jones D, 1953
Hintze TH, 1897
Hiramori K, 1288
Hiroe M, 811
Ho KKL, 1223
Hochman JS, 685, 1063, 1071, 1077, 1084, 1091, 1097, 1104, 1110, 1117, 1123, 2047
Hod H, 659
Hoekstra JW, 1500
Hoeper MM, 1440
Hoffman P, 1365
Hohnloser SH, 773, 1654
Hoit BD, 1713
Holford TR, 130
Hollenberg M, 194
Holmes DR Jr., 674, 685, 1436
Holper K, 1927
Holubkov R, 529
Homberg M, 139
Homel P, 1884
Homma S, 845
Homma Y, 1847
Honda Y, 731, 1529
Hong MK, 1186
Hoogwerf B, 1877
Höpp H-W, 1853
Hori M, 2333
Horie H, 838
Hornberger LK, 262
Horne BD, 1248, 1774
Horstkotte D, 233
Howard BV, 461
Howell JF, 891
Hozumi T, 731, 1529
Hruban RH, 227
Hruska N, 1632
Hsieh M-H, 788
Hu Y-L, 1835
Huang XS, 1228
Hugel B, 2081
Huggon IC, 593
Hughes V, 262
Hunt JW, 658
Hurwitz RA, 255
Husain S, 1467
Hutchins GM, 227
Hwang C, 1324
Hyde TA, 717

Iesaka Y, 811
Ikram H, 479
Indolfi C, 288
Innes G, 1500
Ino H, 856
Inoue S-i, 1605
International Buttoned Device Trial Group, 583
Investigators in the National Registry of Myocardial Infarction 1, 2, and 3, 2056
Iouer VL, 693
Iqbal M, 1884
Isaaz K, 897, 1950
Ishibashi Y, 1605
Ishizaka H, 1847
Iskandrian AE, 1913
Isomura T, 1920
Isselbacher EM, 884
Ito T, 1202
Itoh H, 242
Iwai-Kanai E, 1411
Iwanaga Y, 635

Jaakkola K, 122
Jabbour S, 2140
Jaber WA, 1104
Jackson RE, 1500
Jackson SK, 1474
Jacobs AK, 299, 1091, 1123
Jacobs MI, 301
Jahns R, 1280
Jalkanen S, 122
Janssens U, 375
Jenkins KJ, 1178
Jenkins PC, 1178
Jenni R, 493
Jensen-Urstad K, 1619
Jensen-Urstad M, 1619
Jerosch-Herold M, 307
Jesse RL, 1818
Jiang X, 1091
Joglar JA, 151
John RM, 1404
Johnston J, 250
Joint European Society of Cardiology-American College of Cardiology Committee T, 959
Jones M, 900
Jordaens L, 766
Joseph T, 387
Josephson ME, 1223
Jost CHA, 493
Jougasaki M, 1706
Jovanović A, 948
Jovanović S, 948
Judd RM, 1985
Julmy F, 699
Jung W, 1303
Jutras L, 262
Jutzy KR, 250

Kaemmerer H, 255
Kähler J, 69
Kaji S, 731
Kakishita M, 1646
Kakita T, 1411
Kallajoki M, 122
Kaluski E, 832
Kamada T, 1847
Kamakura S, 1646
Kamath KR, 2325
Kanmatsuse K, 776
Kapadia SR, 208
Kaplinsky E, 659
Karagueuzian HS, 1324, 2000
Karhunen PJ, 1317
Karidis K, 2090
Karpawich P, 602
Karrillon G, 404
Kasper EK, 227
Kass DA, 1439
Kastrati A, 84, 2168
Katholi RE, 306
Kato K, 242
Kato M, 242
Katoh H, 1605
Katz DA, 1809
Katz ES, 468
Katz SD, 845
Kaufman ES, 2247
Kaufmann PA, 103, 493
Kaul S, 1419
Kaunismäki K, 122
Kawamata H, 1979
Kawamoto T, 731
Kawamura K, 1920
Kawano H, 432
Kay IP, 1274, 1536
Kaya Z, 1992
Keane JF, 1684
Keelan MH Jr., 1396
Kelleher D, 2257
Kelsey SF, 1565
Kennedy JM, 32
Kennedy RA, 509
Kent KM, 65, 1186, 1542
Kereiakes DJ, 299
Kern M, 404
Kern MJ, 299
Kerr AJ, 1959
Kessler W, 44
Khand A, 2284
Khrestian C, 917
Kiechl S, 656
Kiefe CI, 2174
Kihara Y, 635
Kikushima K, 776
Kilcoyne CM, 1483
Killip D, 852
Kim DT, 1324
Kim MH, 574
Kim RJ, 1985
Kim Y-H, 2000
Kingma JG Jr., 2317
Kingma J-H, 2047
Kinkaid B, 2056
Kinoshita M, 838, 1587
Kipshidze N, 1396
Kirch W, 1336
Kishimoto C, 1979
Kiss K, 1860
Kitaura Y, 1920
Kittelson J, 1274
Kleber FX, 1903
Kleiman NS, 310, 381
Klein A, 444
Klein C, 1557
Klein LW, 1803
Klingenheben T, 1654
Klocke FJ, 1985
Knatterud GL, 1877
Kneale BJ, 1233
Knight BP, 574
Kobayashi J, 1646
Kobayashi T, 242
Koch R, 1336
Koch W, 84, 2168
Kolias TJ, 1594
Kollum M, 1389
Komorowski R, 1396
Kondo H, 2333
Kondo J, 1202
Kontos MC, 1818
Korley V, 1223
Kosakai Y, 1646
Köster R, 69
Kosugi T, 1847
Kotchi-Kotchi E, 608
Kothny W, 1781, 1789
Kozai T, 1691
Kozuma K, 1536
Krakover R, 832
Kramer CM, 1835
Krapf T, 1280
Krasnow A, 1265
Krasuski RA, 2204
Kremastinos DT, 174
Kresowik TF, 2174
Kronenberg F, 751
Kronzon I, 468
Krucoff MW, 1500
Krumholz HM, 130, 366
Kubicka K, 1365
Kuck KH, 1853
Kugiyama K, 432
Kugler JD, 255
Kühlkamp V, 139
Kuhn MA, 250
Kumagai K, 917
Kung GC, 2279
Kurita T, 1646
Kuzuya T, 2333

Lablanche JM, 2263
Lachat M, 1691
Lafont A, 404
Laham RJ, 2132
Lai AC, 1324
Lai N, 417
Laippala P, 1317
Lakkis NM, 852
Lam JYT, 2311
Lamantia G, 517
Lamberti F, 2234
Lambrew CT, 2056
LaMont DH, 32
Landsman MLJ, 202
Lang D, 1474
Lange R, 1077, 1927
Langer A, 693, 1507
Lansky AJ, 65, 1542
Laperrière L, 1507
Larsen RL, 250
Larsson HBW, 2072
Laub G, 44
Laule M, 1520
Lavie CJ, 2126
Lazarous DF, 1239
Le Marec H, 939
Le Tourneau T, 2263
Lebowitz NE, 461
Leccia A, 288
Leclercq F, 871
Leditschke A, 1328
Ledru F, 404
Lee ET, 461
Lee T-M, 453
Lehtonen LA, 1903
Leier CV, 509
Leimbach ME, 2132
Leite-Moreira AF, 1438
LeJemtel T, 1063, 1071, 1077, 1091
LeJemtel TH, 501, 2047
Lemos JA, 1812
Leon MB, 65, 1186, 1542
Leong HC, 1228
Letsou GV, 891
Levi R, 25
Levine BD, 1664
Levine RA, 884, 1959
Lewis MJ, 1474
Lewis RJ, 932
Lidón RM, 2036
Lie KI, 202
Lim J, 1063
Lima JAC, 2339
Lin PS, 2287
Lin W-S, 788
Lin Y-K, 788
Lincoff AM, 381, 1489
Lip GYH, 2044
Lison L, 110
Liu J, 282
Liu JE, 461
Liu PP, 1670
Livanis EG, 174
Lloyd TR, 583
Lock JE, 1684
Lohse MJ, 1280
Loke KE, 1897
Lomasney JW, 1985
Longobardi G, 643, 1437
Lopaschuk GD, 1378
López-Contreras J, 2198
Lorusso R, 2104
Lowes BD, 501
Lübeck M, 1676
Lubiszewska B, 1365
Luderitz B, 1303
Lund M, 717
Luo H, 1935
Lüscher TF, 103, 213, 1691
Luthe H, 1632
Lynn J, 2119

Maassen K, 2242
Mabuchi H, 856
Mabuchi N, 838, 1587
Macaya C, 1549
MacMahon S, 438
Madsen TE, 1774
Maeda K, 838, 1587
Maestri R, 1612
Magee AG, 593
Mahon N, 864
Mahon NG, 2212
Mahoney DM, 1659
Maia IG, 167
Malik M, 1749
Malinski T, 1691
Mallat Z, 2081
Malmgren J, 706
Maltagliati A, 185
Man KC, 784
Manasse E, 159
Mankad S, 1835
Mann DL, 208, 523
Mansi L, 219
Mansion B, 1654
Marcello SR, 794
Marco J, 387
Marenzi G, 1600
Margonato A, 304
Marian AJ, 1572
Marié FN, 404

Markau S, 608
Markianos M, 174
Marks KR, 679
Maron BJ, 2014
Marrugat J, 2198
Martin DT, 1404
Martin RP, 1362
Martinelli G, 517
Martinoni A, 517
Mascelli MA, 75
Mason CAE, 262
Masuyama T, 2333
Materzky S, 659
Matsui H, 1202
Matsumoto A, 242
Matsumoto T, 838, 1587
Matsuo K, 1646
Matsuyama T, 856
Maurer G, 1355
Maximal Individual Therapy in Acute Myocardial Infarction (MITRA), 2064
Maybaum S, 845
Mazzone A, 746
Mazzucchelli I, 746
McCabe CH, 1812
McCallister BD, 395, 1194
McCarthy PM, 1942, 2098
McClean DR, 479
McClean RYS, 2140
McClennen S, 1223
McCredie R, 417
McCrindle BW, 908
McCullough PA, 679
McDaniel M, 824
McDonald MJ, 1223
McDowell IFW, 1474
McElhinney DB, 2279
McGowan FX Jr., 1684
McKenna WJ, 864, 2212
McLaughlin PR, 1670
McNamara NS, 301
Meerkin D, 59
Meeter K, 878
Mehilli J, 84, 2168
Mehra MR, 2126
Mehran R, 65, 1186, 1542
Meier B, 583
Meinertz T, 69, 628
Meisel C, 1520
Meisner H, 1927
Mejnartowicz S, 1077
Mellen BG, 255
Menegus M, 1117
Menon V, 1071, 1110, 1117
Meredith IT, 94
Mérot J, 939
Messner-Pellenc P, 871
Metzger M, 832
Meyer BJ, 699
Meyer DB, 824
Meyer P, 1803
Meyer T, 1632
Mhurchu CN, 438
Michaud GF, 574
Michelassi C, 1295
Micheli G, 1295
Mikkelsson J, 1317, 1433
Miklin JS, 1489
Milani RV, 2126
Miles W, 1328
Militello CA, 1637
Millaire A, 2263
Miller AB, 541
Mills JD, 618
Mills RM, 487
Milovanov O, 832
Mincemoyer R, 1467
Mindich BP, 1884
Mintz GS, 65, 1186, 1542
Mist B, 864
Mital S, 1897
Mitchell MJ, 487
Mitrovic V, 1903
Miura T, 1847
Miyai N, 1626
Miyao Y, 432
Miyashita K, 1626
Miyazaki S, 115
Moeschberger ML, 509
Mohiddin SA, 2270
Moise NS, 939
Moldenhauer S, 1344
Moliterno DJ, 1489, 2028
Møller JE, 1841
Mollnau H, 628
Momma K, 270
Momomura S-i, 242
Monasterio Y, 2036
Monrad ES, 1110
Monserrat L, 2212
Montalescot G, 110
Morady F, 574
Morehead AJ, 1664
Morgani GL, 2154
Mori Y, 270
Morimoto T, 1411
Morioka I, 1626
Morioka S, 731, 1529
Morishima I, 1202
Morphet JAM, 2015
Morris C, 255
Morris RHK, 1474
Morris-Thurgood J, 1474
Morrow DA, 1812
Mortara A, 1612
Mortensen SA, 304
Mosca L, 2192
Moses JW, 1396
Moshage W, 44
Moshfegh K, 699
Moshkovitz Y, 832
Mosseri M, 306
Motoyama T, 432
Moulopoulos SD, 2090
Movsowitz HD, 884
Moyé LA, 1434
Mrozikiewicz PM, 1520
Mudra H, 1781
Muhlbaier LH, 723, 2174
Mühlbauer D, 1781
Muhlestein JB, 1248, 1774
Muirhead GJ, 25
Mukawa H, 1202
Mullen MJ, 410
Mulvihill NT, 1210
Muntoni F, 1953
Münzel T, 628
Murakami Y, 1605
Muratori M, 185
Muriago M, 2226
Murphy DJ, 255
Murphy R, 1210
Myocardial Infarction Registry (MIR) Study Groups, 2064

Nader S, 208
Nagai T, 1935
Nagao K, 776
Nagel E, 1557
Nagueh SF, 852, 891
Naito S, 811
Nakamura M, 1288
Nakano T, 1847
Nakata T, 1767
Nakazawa M, 270
Nanas JN, 2090
Napoli C, 643
Naqvi TZ, 1935
Narayanan S, 1579
Narula J, 1913, 2198
Nassar BA, 758, 2185
National Cardiovascular Network Collaboration, 723
National Registry of Myocardial Infarction 2 Investigators, 706
Nava A, 2226
Need LR, 1371
Nekolla S, 1927
Neuberg GW, 541
Neumann F-J, 2168
Neven K, 51
Newman D, 1303
Newstein D, 1253
Nicholls MG, 479
Nicolini F, 159
Niemann JT, 932
Nieminen MS, 1903
Nieto E, 2036
Nieto FJ, 308
Nieuwland W, 202
Nikolaychik V, 1396
Nilsson JC, 2072
Ning X-H, 282
Nishikawa N, 2333
Nishimura S, 811
Nishio I, 1626
Noble MIM, 1217
Noetzold A, 1173
Nogami A, 811
Noll G, 213
Nonogi H, 115
Noonan JA, 255
Nott SH, 2325
Nunez E, 2126
Nyquist O, 1903

O'Briain DS, 2257
O'Brien RC, 94
Ochiai H, 1979
O'Connor CM, 541
O'Connor GT, 1178
Odabashian JA, 900
O'Driscoll G, 1461
Oechslin EN, 493
Oelze M, 628
Ogawa H, 432
Ohe T, 1646
Ohhata S, 1605
Ohman EM, 1142, 1489
Ohnishi M, 838, 1587
Ohtsuki J, 776
Okamoto Y, 811
Okeie K, 856
Okumura K, 1202, 1847
Olgin JE, 924
Olson MB, 1565
Omata M, 242
Omran AS, 2219
O'Neill WW, 723
Ono K, 2333
Ophuis TO, 51
Opie LH, 1967, 2296
Oprian C, 1152
Oral H, 574
Ornato JP, 1818
O'Rourke RA, 326, 1261
Osanai T, 1847
Osman AF, 2126
Osman NF, 2339
Osten B, 608
Ottini E, 746
Oxenham H, 2054
Oz MC, 1897
Özbek C, 1853
Ozkan B, 602

Pachinger O, 751
Packer M, 541
Padurean A, 2303
Paetsch I, 1557
Page RL, 147, 151, 794
Pahlm O, 1827
Pakstis DL, 1835
Palasis M, 2325
Palazzo A, 1084
Palermo P, 1600
Palmeri ST, 1097, 1123
Pandozi C, 2234
Pantely GA, 1245
Panza JA, 900, 1483
Papageorgiou P, 1223
Paquette M, 1303
Paranicas M, 461
Parekh N, 1328
Parmley WW, 294, 651, 953, 1426, 1720, 2347
Parrillo JE, 1803
Parrotto S, 427
Parry AJ, 2279
PART-2 Collaborative Research Group, 438
Pasterkamp G, 13, 1860
Patel A, 2296
Patel AM, 784
Pearce GL, 1159
Pearle G, 1344
Pearlman JD, 2132
Pearson RR, 1248
Pellegri M, 739
Pellikka PA, 1659
Pelosi F, 574
Penttilä A, 1317
Pepi M, 185
Peralta AO, 1404
Pérez-Vizcayno MJ, 1549
Perlemuter K, 110
Perloff JK, 255
Perola M, 1317
Peterson ED, 723, 1142, 1870, 2174
Petrovich L, 501
Pettersson J, 1827
Pettigrew RI, 2132
Philippe F, 110
Phillips RS, 2119
Pibarot P, 1131
Picard MH, 1959, 2146
Pichard AD, 65, 1186, 1542
Pigny P, 2263
Pike M, 2132
Pilchik R, 1077
Pinna GD, 1612
Piotrowski W, 1365
Piper C, 233
Pirgakis V, 2090
Pisanelli P, 643
Plante S, 2317
Ploch M, 139
Plotnick GD, 1455
Poindexter BJ, 891
Polak R, 832
Poller U, 608
Poloniecki J, 2212
Ponikowski PP, 523
Pons-Lladó G, 2198
Poole-Wilson PA, 523
Popma JJ, 1142
Porenta G, 1355
Pórszász J, 547
Porter JM, 1245
Portman MA, 282
Post-CABG Trial Investigators, 1877
Poulsen SH, 1841
Powell AJ, 1371
Prasad A, 1467, 1579
Prat A, 2263
Prat T, 1310
Prefaut C, 871
Prenger KB, 2104
Prince JL, 2339
Pritchett ELC, 794
Probst V, 939
Pupi A, 739

Qin JX, 900
Quinn M, 1514
Quyyumi AA, 1239, 1467, 1579

Rabinovitch M, 262
Racz MJ, 395, 1194
Radford MJ, 366
Radley DR, 693
Rahal S, 404
Rahimtoola SH, 1152
Rahko PS, 501
Rainbird AJ, 1659
Raitakari OT, 417
Rajagopalan B, 1953
Rajagopalan S, 2192
Rakowski H, 2219
Ramaswamy K, 151
Rambaldi P, 219
Rampazzo A, 2226
Rao PS, 583
Rapacciuolo A, 288
Ratcliffe M, 2115
Rauchaus M, 656
Rauchhaus M, 523
Ravid S, 2140
Reardon MJ, 891
Redberg RF, 39
Reddy VM, 2279
Redfield MM, 1706
Redondo M, 699
Regenfus M, 44
Reichek N, 1565
Reimers J, 69
Reis ED, 2303
Reis SE, 529, 1565
Remme WJ, 1903
Rengo F, 643, 1437
Rey C, 583

Ribeiro JC, 167
Riccardi R, 159
Richard P, 404
Richards AM, 479
Rickard C, 1328
Rickers C, 1676
Ridker PM, 39, 423
Rifai N, 39, 1812
Rihal CS, 674
Riley MS, 547
Ringborn M, 1827
Rispens P, 202
Ritter JM, 1233
Roberts R, 661
Robertson AD, 501
Roca-Cusachs A, 2198
Rochitte CE, 2339
Roden DM, 1
Roden RL, 501
Roelandt JRTC, 2017
Rogers C, 2325
Rogers WJ, 2056
Rogers WJ Jr., 1835
Röhnert P, 608
Rojas JR, 493
Roman MJ, 461
Roots I, 1520
Ropers D, 44
Roqué M, 2303
Rosahl W, 2064
Rosano GMC, 2154
Rose NR, 1992
Rosen AB, 2174
Rosenbaum DS, 2247
Rosenberg Y, 1877
Rosenhek R, 1355
Rössig L, 2081
Rovai D, 1295
Rovere MTL, 1612
Różański J, 1365
Rubenfire M, 2192
Rubens MB, 2160
Rubinger D, 306
Rutsch W, 1520
Rużyłło W, 1365
Ryan TJ, 395, 1194
Rydén L, 957
Rydlewska-Sadowska W, 1365

Sá RMS, 167
Sabaté M, 1536, 1549
Sabbah HN, 1698
Sack MN, 2296
Sagar KB, 1265
Sahota H, 1396
Saitoh H, 1288
Sakamoto T, 432
Sakane T, 1605
Sakata Y, 2333
Saksena S, 828
Salmi M, 122
Salvatore T, 219
Sanborn T, 1077
Sanborn TA, 1063, 1123
Sanders SP, 255
Sanderson JE, 276
Sandri MT, 517
Sane DC, 75
Sanmartín M, 1549
Sano K, 1605
Santini M, 2234
Santoro GM, 739
Sargent JD, 1178
Sarrel PM, 2154
Sasayama S, 635, 1411
Sasse K, 1676
Sasso FC, 219
Satler LF, 65, 1186, 1542
Satoh H, 1288
Satoh M, 1288
Satoh T, 115
Saukko P, 122
Savoye C, 2263
Sawaki M, 838, 1587
Sawamura T, 1411
Sayre MR, 1500
Scaglione M, 159
Scalia GM, 305
Schäfers KP, 103
Scheck D, 824
Scheepers B, 181
Scheller B, 1853
Schenke W, 1467
Schiele R, 2064
Schirdewan A, 139
Schirger JA, 1706
Schleman MM, 501
Schmidtke C, 1173
Schmitz-Rode T, 375
Schnackenburg B, 1557
Schneider CA, 1437
Schneider S, 2064
Schneider-Eicke J, 444
Schnell DJ, 794
Schömig A, 84, 444, 2168
Schömig K, 84
Schratzberger P, 656
Schreuder JJ, 2104
Schulman SP, 668
Schultheiss H-P, 233, 1654
Schwaiger M, 444, 1927
Schwartzbard A, 468
Schweizer J, 1336
Sciagrà R, 739
Scianaro MC, 2234
Scott J, 438
Segawa I, 1288
Seidl K, 2064
Seifert P, 2325
Selva HO, 1637
Senges J, 2064
Senzaki H, 1439
Serio A, 746
Serra-Grima R, 1310
Serruys PW, 1536
Sethi GK, 1152
Seward JB, 472, 1659
Shah SS, 679
Shaham O, 832
Shan K, 891
Shankar LR, 1396
Shapiro LM, 1889
Shapiro SM, 547
Sharland GK, 593
Sharma R, 523
Sharma S, 864, 2212
Sharon A, 832
Sharov VG, 1698
Sharpe N, 438, 2054
Shavelle DM, 32
Shavelle RM, 32
Shaw LJ, 1261
Sheehan CJ, 151
Shen WK, 948
Sherrid MV, 1344
Shih J, 2270
Shimada T, 1605
Shimamoto K, 1767
Shimizu A, 1920
Shimizu M, 856
Shimizu W, 1646
Shimoni S, 891
Shindler DM, 1097
Shinohara H, 1979
Shiota T, 900
Shlipak MG, 706
SHOCK Investigators, 1063, 1071, 1077, 1084, 1091, 1097, 1104, 1110, 1117, 1123
Shoultz DA, 2056
Shpirer I, 832
Sideris D, 2090
Sideris EB, 583
Siebert U, 1781
Siegel RJ, 1935
Sievers H-H, 1173
Sih HJ, 924
Simons M, 2132
Simoons ML, 75, 685
Simovitz A, 832
Singh BK, 1913
Singh M, 674
Singh V, 1698
Siu SC, 1670, 2219
Sketch MH Jr., 1142
Skopicki HA, 2146
Skyrme-Jones RAP, 94
Slater J, 1117
Slater JN, 1091, 1110
Sleeper LA, 1063, 1071, 1077, 1084, 1091, 1097, 1104, 1110, 1123
Smallhorn JF, 262, 908
Smart SC, 1265
SMARTT Investigators, 1500
Smedira NG, 1942, 2098
Smeeton NC, 593
Smith ML, 151
Smith PN, 2242
Smith R, 1514
Smith RF, 713
Smith SC, 299
Smith ST, 679
Sobtchouk A, 1507
Soler-Soler J, 2036
Soman SS, 679
Søndergaard E, 1841
Sondergaard L, 2072
Sone T, 1202
Sörnmo L, 1827
Spadaro LA, 1253
Spencer WH III, 852
Sperker W, 1860
Spieker LE, 213
Sprecher DL, 1159
Stabile E, 288
Stamatelopoulos SF, 2090
Stangl K, 139, 1520
Stangl V, 1520
Stanton K, 1461
Starling RC, 2098
Stav D, 832
Stebbins AL, 1489
Steendijk P, 2104
Steg PG, 404
Stein EA, 1572
Steinberg JS, 1884
Stephenson K, 2168
Stern H, 1676
Stevenhagen J, 51
Stewart JR, 784
Stewart RAH, 1274
Sticherling C, 574
Stillman AE, 307
Stine A, 1239
Stingone AM, 288
Stoiber T, 1265
Stone GW, 1186
Störk S, 1789
Strickberger SA, 574
Stubbs PJ, 1217
Stühlinger M, 751
Stussy VL, 1659
Styles P, 1953
Su S-F, 453
Suarez de Lezo J, 583
Subirana M, 1310
Sugamori T, 1605
Sugawara M, 2333
Sugimoto Y, 838
Sullivan D, 417
Sullivan N, 602
Suma H, 1920
Sumida H, 115
Sun JP, 900
SUPPORT Investigators, 2119
Sutandar A, 1884
Sutherland JL, 255
Sutton JA, 25
Sutton MSJ, 2047
Suyama K, 1646
Svedenhag J, 1619
Sylvén C, 1619

Tada H, 811
Taegtmeyer H, 1386
Tager IB, 194
Taggart PI, 1404
Taguchi A, 1646
Tai C-T, 788
Tajik AJ, 472
Takagi T, 731, 1529
Takahashi N, 1605
Takamatsu N, 1979
Takeda S, 1626
Taki J, 856
Talley JD, 1110
Tamborini G, 185
Tamis-Holland JE, 1884
Tanasijevic M, 1812
Tanguay J-F, 355, 1972
Taniguchi K, 811
Tapson VF, 2204
Tardif J-C, 59
Tatum JL, 1818
Taubman MB, 2303
Tavernier R, 766
Tawakol A, 2146
Taylor GJ, 306
Taylor R, 1461
Taylor-Robinson D, 657
Tcheng JE, 381, 1142
Tedgui A, 2081
Teresińska A, 1365
Terres W, 69
Terzic A, 948
Theobald TM, 1835
Theodorakis GN, 174
Theroux P, 1514
Therrien J, 1670
Thiene G, 2226
Thomas BJ, 657
Thomas D, 110
Thomas JD, 208, 900, 1664, 1942, 2098
Thompson CA, 2140
Thompson CR, 1104
Thomson H, 410
Thorne S, 410
Tiefenbrunn AJ, 2056
Tirologos A, 2090
Title LM, 758, 2185
Todor A, 1698
Toki Y, 1202
Tomimatsu H, 270
Topol EJ, 75, 381, 685, 1489
Torella D, 219, 288
Torella R, 219
Tortora G, 288
Tosteson ANA, 1178
Trenkwalder E, 751
Tribouilloy CM, 472
Tricca A, 517
Tron C, 404
Tsai C-F, 788
Tsai C-H, 453
Tsao PS, 2287
Tsiamtsiouris T, 468
Tsuboi H, 1202
Tsuchihashi K, 1767
Tsujino H, 900
Tsutamoto T, 838, 1587
Tsutsui T, 838, 1587
Tuchnitz A, 444
Tunick PA, 468
Turco S, 219
Turina MI, 1691
Turpie AGG, 693
Tuzcu V, 602
Tyni-Lennè R, 1619

Udelson JE, 2132
Ukimura A, 1920
Underwood SR, 2160
Unger EF, 1239
Uno K, 917
Uribe W, 2242

Vaccarino V, 130
Vadecha M, 824
Vainer J, 51
Valderrábano M, 2000
van Berkel DFM, 878
van Dantzig J-M, 2104
van de Loo B, 1691
van den Berg MP, 2047
van den Hoff J, 1676
van der Nagel T, 2104
van der Veen FH, 2104
van der Wiel CJ, 1536
van Domburg RT, 878
van Gilst WH, 2047
van Herwerden LA, 878
van Ommen V, 51
van Sonderen E, 202
van Veldhuisen DJ, 202, 2047
VandenBerg EJ, 1803
Vandervoort PM, 1942
Vänttinen E, 122
Varnava A, 2212
Varney S, 523
Veldkamp RF, 878
Venditti FJ, 1404
Venkatesh B, 1328
Ventak CHF Investigators, 824

JACC Vol. 36, No. 7, 2000
December 2000:2355–60

Vered Z, 832
Verin V, 1536
Vezzoli M, 746
Vicaut E, 110
Vidaillet H, 2119, 2242
Vierkant R, 2242
Villanova C, 2226
Villanueva FS, 618
Vincent J, 59
Vincent RN, 1178
Violi F, 427
Virdee MS, 864
Viskin S, 803
Viswambharan H, 1691
Voci P, 625
Vodovotz Y, 1389
Vogel RA, 1455
Voipio-Pulkki L-M, 122
von Beckerath N, 2168
von Bibra H, 444
von Schacky C, 1781, 1789
Voors AA, 2047

Waclawiw MA, 1579, 1797
Wada A, 838, 1587
Wada H, 1411
Wagner GS, 1827
Wahl LM, 1797
Waksman R, 65, 1389
Waldo AL, 917
Walford G, 395, 1194
Wallukat G, 1280
Walsh KP, 583
Walsh M, 1210, 2257
Wambolt RB, 1378
Wang A, 2204
Wang J, 845
Wang Y, 366, 1992
Waong Y, 658
Ward ME, 658
Warembourg H, 2263
Warner JJ, 2204
Warnholtz A, 628
Warren SG, 1827
Wasmund SL, 151
Wasserman K, 547
Watanabe H, 242
Watanabe I, 776
Water NSV, 717
Watson PS, 305
Weaver WD, 1500
Webb CM, 2154
Webb DJ, 25
Webb GD, 1670
Webb JG, 1071, 1077, 1084, 1104, 1110, 1123
Weber M, 566
Wei S, 276
Weil J, 1676
Weintraub WS, 723
Weiss L, 1432
Wellens H, 51
Wellens HJJ, 2104
Welty TK, 461
Wen Z-C, 788
Wenger NS, 2119
Wernecke K, 1520
Wertheimer JH, 541
Westveer DC, 784
Wexberg P, 1860
Whang W, 1166
Wharton TP Jr., 301
Whitby G, 509
White BG, 529
White C, 1877
White H, 438, 1071
White HD, 717, 1063, 1084
White RD, 900
Whitehouse MJ, 2132
Whyte G, 864
Wiedermann CJ, 656
Wienbergen H, 2064
Wigle ED, 2219
Wijns W, 1536
Wilber DJ, 2247
Wilcox CS, 487
Wilke NM, 307
Wilkinson WE, 794
Willeit J, 656
Williams WG, 908, 1670, 2219
Winning A, 1328
Winter RJ, 1824
Women's Ischemia Syndrome Evaluation (WISE) Study Group, 1565
Wong J, 2098
Wong SC, 1077
Woo KS, 1228
Wood CE, 487
Wood K, 1303
Wottke M, 1927
Woutman H, 13
Wright D, 410
Wu H, 845, 1186
Wu T-J, 2000
Wuillemin WA, 699
Wulff M, 25

Xu Y, 900

Yakoob K, 208
Yamaguchi M, 856
Yamamoto F, 1646
Yamamoto K, 2333
Yamamuro A, 731, 1529
Yamauchi Y, 811
Yang BK, 1797
Yang D, 2325
Yang P, 1860
Yang Z, 1691
Yashima M, 2000
Yasuda S, 115
Yasuda T, 856
Yasue H, 432
Ye Y, 282
Yee J, 679
Yehia AH, 628
Yellon DM, 2296
Yogev R, 832
Yokoyama H, 534
Yoneda T, 635
Yong P, 824
Yoshida K, 731, 1529
Yoshimura M, 432
Yoshio H, 856
Yoshizawa C, 2132
Young GP, 1500
Young JB, 529, 2098
Yu EHC, 2219
Yu W-C, 788

Zabel M, 1654
Zagrodzky JD, 151
Zahn R, 2064
Zaidi A, 179, 181
Zamora R, 583
Zanger D, 1797
Zarvalis E, 174
Zeiher AM, 2081
Zerhouni EA, 2339
Zetts AD, 900
Zhang J, 282
Zidar JP, 1142
Ziemer S, 1520
Zimetbaum PJ, 1223
Zipes DP, 924, 1746
Zobolos S, 2090
Zoghbi WA, 891
Zuckerman J, 1664

Journal of the American College of Cardiology
© 2000 by the American College of Cardiology
Published by Elsevier Science Inc.

Vol. 36, No. 7, 2000
ISSN 0735-1097/00/$20.00
PII S0735-1097(00)01147-5

Subject Index: Volume 36

Abciximab
Clinical benefit of glycoprotein IIb/IIIa blockade with abciximab is independent of gender, 381
Facilitation of early percutaneous coronary intervention after reteplase with or without abciximab in acute myocardial infarction, 1489
Occurrence and clinical significance of pseudothrombocytopenia during abciximab therapy, 75

Ablation
American College of Cardiology/American Heart Association clinical competence statement on invasive electrophysiology studies, catheter ablation, and cardioversion, 1725
Single site radiofrequency catheter ablation of atrial fibrillation: studies guided by simultaneous multisite mapping in the canine sterile pericarditis model, 917

Academic health centers
President's page: academic health centers: the making of a crisis and potential remedies, 1428

ACC
ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction, 970
American College of Cardiology/American Heart Association clinical competence statement on invasive electrophysiology studies, catheter ablation, and cardioversion, 1725
American College of Cardiology/American Heart Association clinical competence statement on stress testing, 1441
American College of Cardiology/American Heart Association expert consensus document on electron-beam computed tomography for the diagnosis and prognosis of coronary artery disease, 326
Committee appointments, 341
Myocardial infarction redefined—a consensus document of the Joint European Society of Cardiology/American College of Cardiology Committee for the Redefinition of Myocardial Infarction, 959
Results from late-breaking clinical trials sessions at ACCIS 2000 and ACC 2000, 310

Accessory pathways
Adenosine-5′-triphosphate test for the noninvasive diagnosis of concealed accessory pathway, 803

ACC news
President's page: academic health centers: the making of a crisis and potential remedies, 1428
President's page: geographic variations in delivery of cardiovascular care: an issue of great importance to cardiovascular specialists, 652
President's page: high-quality cardiovascular care threatened by shortage of nurses and allied health professionals, 1722
President's page: the epidemic of type 2 diabetes and obesity in the U.S.: cause for alarm, 2348
President's page: the human genome project: implications for cardiologists and their patients, 295
President's page: the political scene, 953
President's page: what about the "vascular" in cardiovascular?, 2009

Acute coronary syndromes
Elevated homocysteine levels are associated with increased ischemic myocardial injury in acute coronary syndromes, 1217
Evidence of prolonged inflammation in unstable angina and non-Q wave myocardial infarction, 1210
Improving outcome over time of percutaneous coronary interventions in unstable angina, 674
Platelet glycoprotein IIb/IIIa blockade and outcome of cardiogenic shock complicating acute coronary syndromes without persistent ST-segment elevation, 685
Risk stratification with cardiac troponin I in acute coronary syndromes (editorial), 1824
Thrombogenesis and fibrinolysis in acute coronary syndromes (editorial), 2044
Validated risk stratification model accurately predicts low risk in patients with unstable angina, 1803

Acute myocardial infarction
See Myocardial infarction

Adenosine
Alert to physicians: possible interaction of aggrenox and adenosine (letter), 1432

Adenosine triphosphate
Adenosine-5′-triphosphate test for the noninvasive diagnosis of concealed accessory pathway, 803

Age of patient
See Elderly; Pediatric cardiology

Aggrenox
Alert to physicians: possible interaction of aggrenox and adenosine (letter), 1432

AHA
ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction, 970
American College of Cardiology/American Heart Association clinical competence statement on invasive electrophysiology studies, catheter ablation, and cardioversion, 1725
American College of Cardiology/American Heart Association clinical competence statement on stress testing, 1441
American College of Cardiology/American Heart Association expert consensus document on electron-beam computed tomography for the diagnosis and prognosis of coronary artery disease, 326

Aldosterone
Spironolactone inhibits the transcardiac extraction of aldosterone in patients with congestive heart failure, 838

American College of Cardiology
See ACC

American Heart Association
See AHA

***AMPD1* gene**
Common variant of the *AMPD1* gene predicts improved cardiovascular survival in patients with coronary artery disease, 1248

Anatomy
Coronary anatomy in acute myocardial infarction patients with sudden out-of-hospital death (letter), 1433
Ligament of Marshall: a structural analysis in human hearts with implications for atrial arrhythmias, 1324

Aneurysms
Validation of real-time three-dimensional echocardiography for quantifying left ventricular volumes in the presence of a left ventricular aneurysm: in vitro and in vivo studies, 900

Anger
Impact of social support, cynical hostility and anger expression on progression of coronary atherosclerosis, 1781

Angina pectoris
See also Chest pain
ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction, 970
Effects of various anticoagulant treatments on von Willebrand factor release in unstable angina, 1110
Enhanced phospholipase C activity in the cultured skin fibroblast obtained from patients with coronary spastic angina: possible role for enhanced vasoconstrictor response, 1847
Evidence of prolonged inflammation in unstable angina and non-Q wave myocardial infarction, 1210
First line drugs in chronic stable effort angina—the case for newer, longer-acting calcium channel blocking agents, 1967
Improving outcome over time of percutaneous coronary interventions in unstable angina, 674
Low molecular weight heparin decreases rebound ischemia in unstable angina or non-Q-wave myocardial infarction: the Canadian ESSENCE ST segment monitoring study, 1507
Preexisting arterial remodeling is associated with in-hospital and late adverse cardiac events after coronary intervention in patients with stable angina pectoris, 1860
Randomized trial of low molecular weight heparin (enoxaparin) versus unfractionated heparin for unstable coronary artery disease: one-year results of the ESSENCE study, 693
Risk stratification in unstable angina: the role of clinical prediction models (editorial), 1809
Sildenafil citrate potentiates the hypotensive effects of nitric oxide donor drugs in male patients with stable angina, 25
Thrombin formation and fibrinolytic activity in patients with acute myocardial infarction or unstable angina: in-hospital course and relationship with recurrent angina at rest, 2036
Validated risk stratification model accurately predicts low risk in patients with unstable angina, 1803

Angiogenesis
Therapeutic angiogenesis: time for the next phase (editorial), 1245

Angiography
Angiographic findings and clinical correlates in patients with cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1077
Angiographic no-reflow phenomenon as a predictor of adverse long-term outcome in patients treated with percutaneous transluminal coronary angioplasty for first acute myocardial infarction, 1202
French Randomized Optimal Stenting Trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography, 404
Noninvasive detection of coronary artery stenosis

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

using contrast-enhanced three-dimensional breath-hold magnetic resonance coronary angiography, 44
Prevalence of factor V Leiden and prothrombin variant G20210A in patients age <50 years with no significant stenoses at angiography after three to four weeks after myocardial infarction, 717
Prognostic implications of further renal function deterioration within 48 h of interventional coronary procedures in patients with pre-existent chronic renal insufficiency, 1542
Renal effect of low-dose dopamine in high-risk patients undergoing coronary angiography (letter), 306
Six-month clinical and angiographic outcome after successful excimer laser coronary angioplasty for in-stent restenosis, 69
Statin therapy, lipid levels, C-reactive protein and survival of patients with angiographically severe coronary artery disease, 1774

Angioplasty
See Percutaneous transluminal coronary angioplasty; Excimer laser coronary angioplasty

Angiotensin-converting enzyme
Insertion/deletion polymorphism of the angiotensin-converting enzyme gene determines coronary vascular tone and nitric oxide activity, 1579

Angiotensin-converting enzyme inhibitors
See also specific agent
Angiotensin-converting enzyme inhibitor treatment after myocardial infarction (editorial), 2054
Effect of very early angiotensin-converting enzyme inhibition on left ventricular dilation after myocardial infarction in patients receiving thrombolysis, 2047
High dose angiotensin-converting enzyme inhibition prevents fluid volume expansion in heart transplant recipients, 487
Improvement of myocardial blood flow to ischemic regions by angiotensin-converting enzyme inhibition (letter), 1437
Is the optimal dose of angiotensin-converting enzyme inhibitors in patients with congestive heart failure definitely established? (editorial), 2096
Long-term effect of angiotensin-converting enzyme inhibitor in volume overloaded heart during growth: a controlled pilot study, 270
Losartan, an angiotensin type 1 receptor antagonist, improves endothelial function in non-insulin-dependent diabetes, 1461
Low-dose enoximone improves exercise capacity in chronic heart failure, 501
Modulation of in vivo cardiac hypertrophy with insulin-like growth factor-1 and angiotensin-converting enzyme inhibitor: relationship between change in myosin isoform and progression of left ventricular dysfunction, 635
Randomized, placebo-controlled trial of the angiotensin-converting enzyme inhibitor, ramipril, in patients with coronary or other occlusive arterial disease, 438
Relationship of the erythrocyte sedimentation rate to inflammatory cytokines and survival in patients with chronic heart failure treated with angiotensin-converting enzyme inhibitors, 523
Spironolactone inhibits the transcardiac extraction of aldosterone in patients with congestive heart failure, 838

Animal studies
Cardiac beta-adrenoceptors in chronic uremia: studies in humans and rats, 607
Chronic therapy with metoprolol attenuates cardiomyocyte apoptosis in dogs with heart failure, 1698
Dichloroacetate improves postischemic function of hypertrophied rat hearts, 1378
Differences in organization between acute and chronic atrial fibrillation in dogs?, 924
Electropharmacological characterization of cardiac repolarization in German shepherd dogs with an inherited syndrome of sudden death: abnormal response to potassium channel blockers, 939
Endoluminal reconstruction of the arterial wall with endothelial cell/glue matrix reduces restenosis in an atherosclerotic rabbit, 1396
Evolving changes in Doppler mitral flow velocity pattern in rats with hypertensive hypertrophy, 2333
Exercise training restores ischemic preconditioning in the aging heart, 643
Immunoglobulin treatment ameliorates murine myocarditis associated with reduction of neurohumoral activity and improvement of extracellular matrix coverage, 1979
Inhibition of tissue factor reduces thrombus formation and intimal hyperplasia after porcine coronary angioplasty, 2303
Local delivery of 17-beta-estradiol decreases neointimal hyperplasia after coronary angioplasty in a porcine model, 1972
Monophasic versus biphasic transthoracic countershock after prolonged ventricular fibrillation in a swine model, 932
Nasal administration of cardiac myosin suppresses autoimmune myocarditis in mice, 1992
Obstacle-induced transition from ventricular fibrillation to tachycardia in isolated swine right ventricles, 2000
Platelet GPIIb/IIIa receptor blockade reduces infarct size in a canine model of ischemia-reperfusion, 2317
Transmural contractile reserve after reperfused myocardial infarction in dogs, 2339
Vascular repair after balloon overstretch injury in porcine model effects of intracoronary radiation, 1389

Antiarrhythmic agents
Class III antiarrhythmic effect of sotalol exerts a reverse use-dependent positive inotropic effect in the intact canine heart, 1404

Antibodies
Modulation of $beta_1$-adrenoceptor activity by domain-specific antibodies and heart failure-associated autoantibodies, 1280

Anticoagulants
See also Heparin; Aspirin
Antiplatelet effects of clopidogrel compared with aspirin after myocardial infarction: enhanced inhibitory effects of combination therapy, 699
Effects of various anticoagulant treatments on von Willebrand factor release in unstable angina, 1110

Antioxidants
Effect of folic acid and antioxidant vitamins on endothelial dysfunction in patients with coronary artery disease, 758

Aortic dissection
Transesophageal echocardiographic description of the mechanisms of aortic regurgitation in acute type A aortic dissection: implications for aortic valve repair, 884

Aortic regurgitation
Prevalence and correlates of aortic regurgitation in American Indians: the Strong Heart Study, 461
Transesophageal echocardiographic description of the mechanisms of aortic regurgitation in acute type A aortic dissection: implications for aortic valve repair, 884
Underestimation of the valvulopathy effect of fenfluramine (letter), 1434

Aortic stenosis
Coronary flow reserve improves after aortic valve replacement for aortic stenosis: an adenosine transthoracic echocardiography study, 1889

Aortic valve
Adhesion molecules in nonrheumatic aortic valve disease: endothelial expression, serum levels and effects of valve replacement, 2257
Coronary flow reserve improves after aortic valve replacement for aortic stenosis: an adenosine transthoracic echocardiography study, 1889
Hemodynamic and clinical impact of prosthesis-patient mismatch in the aortic valve position and its prevention (review), 1131
Postoperative exercise tolerance after aortic valve replacement by small-size prosthesis, 871
Transesophageal echocardiographic description of the mechanisms of aortic regurgitation in acute type A aortic dissection: implications for aortic valve repair, 884

Apolipoprotein A-IV
Low apolipoprotein A-IV plasma concentrations in men with coronary artery disease, 751

Apolipoprotein E
Apolipoprotein E genotypes and response of plasma lipids and progression-regression of coronary atherosclerosis to lipid-lowering drug therapy, 1572

Apoptosis
Chronic therapy with metoprolol attenuates cardiomyocyte apoptosis in dogs with heart failure, 1698
Congestive heart failure induces endothelial cell apoptosis: protective role of carvedilol, 2081
Endothelin-1 as a protective factor against beta-adrenergic agonist-induced apoptosis in cardiac myocytes, 1411

Arrhythmias
See also Tachycardias; Ventricular arrhythmias
Antiarrhythmic effects of azimilide in atrial fibrillation: efficacy and dose-response, 794
Comparison of T-wave alternans, signal averaged electrocardiography and programmed ventricular stimulation for arrhythmia risk stratification, 2247
Ligament of Marshall: a structural analysis in human hearts with implications for atrial arrhythmias, 1324
Prevention of recurrent life-threatening arrhythmias: will lipid-lowering therapy make a difference? (editorial), 773

Arrhythmogenic right ventricular cardiomyopathy
Clinical profile and long-term follow-up of 37 families with arrhythmogenic right ventricular cardiomyopathy, 2226

Arteries
See Carotid arteries; Collateral vessels; Coronary arteries

Aspirin
Antiplatelet effects of clopidogrel compared with aspirin after myocardial infarction: enhanced inhibitory effects of combination therapy, 699

Atherectomy
Synergistic approach to optimal stenting: directional coronary atherectomy (DCA) prior to

coronary artery stent implantation—the AtheroLink registry, 1853

Atherosclerosis
See also Coronary artery disease
Acute effects of urinary bladder distention on the coronary circulation in patients with early atherosclerosis, 453
Apolipoprotein E genotypes and response of plasma lipids and progression-regression of coronary atherosclerosis to lipid-lowering drug therapy, 1572
Endoluminal reconstruction of the arterial wall with endothelial cell/glue matrix reduces restenosis in an atherosclerotic rabbit, 1396
Impact of social support, cynical hostility and anger expression on progression of coronary atherosclerosis, 1781
Prediction of coronary events with electron beam computed tomography, 1253
Prognostic factors for atherosclerosis progression in saphenous vein grafts: the Postcoronary Artery Bypass Graft (post-CABG) trial, 1877
Randomized, placebo-controlled trial of the angiotensin-converting enzyme inhibitor, ramipril, in patients with coronary or other occlusive arterial disease, 438
Techniques characterizing the coronary atherosclerotic plaque: influence on clinical decision making? (review), 13

Athletes
Marked ventricular repolarization abnormalities in highly trained athletes' electrocardiograms: clinical and prognostic implications, 1310
Utility of metabolic exercise testing in distinguishing hypertrophic cardiomyopathy from physiologic left ventricular hypertrophy in athletes, 864

Atorvastatin
Atorvastatin but not L-arginine improves endothelial function in type I diabetes mellitus: a double-blind study, 410
Medical therapy versus coronary angioplasty in stable coronary artery disease: a critical review of the literature (review), 668

Atrial fibrillation
Antiarrhythmic effects of azimilide in atrial fibrillation: efficacy and dose-response, 794
Atrial fibrillation after minimally invasive direct coronary artery bypass surgery, 1884
Beta-blockers for atrial fibrillation: must we consider asymptomatic arrhythmias? (editorial), 147
Differences in organization between acute and chronic atrial fibrillation in dogs?, 924
Effect of phenylephrine on focal atrial fibrillation originating in the pulmonary veins and superior vena cava, 788
Impairment of health-related quality of life in patients with intermittent atrial fibrillation: implications for the assessment of investigational therapy, 1303
Incidence and predictors of myocardial infarction among patients with atrial fibrillation, 1223
Increased sympathetic activity after atrioventricular junction ablation in patients with chronic atrial fibrillation, 151
Limited posterior left atrial cryoablation in patients with chronic atrial fibrillation undergoing valvular heart surgery, 159
Postcardioversion atrial electrophysiologic changes induced by oral verapamil in patients with persistent atrial fibrillation, 2234
Single site radiofrequency catheter ablation of atrial fibrillation: studies guided by simultaneous multisite mapping in the canine sterile pericarditis model, 917
Treatment of underlying atrial fibrillation: paced rhythm obscures recognition, 784
Use of metoprolol CR/XL to maintain sinus rhythm after conversion from persistent atrial fibrillation, 139

Atrial flutter
Incidence and predictors of atrial flutter in the general population, 2242

Atrial septal defects
Results of transvenous occlusion of secundum atrial septal defects with the fourth generation buttoned device: comparison with first, second and third generation devices, 583

Atrial switch operation
Myocardial perfusion and function of the systemic right ventricle in patients after atrial switch procedure for complete transposition: long-term follow-up, 1365
Myocardial viability assessed by positron emission tomography in infants and children after the arterial switch operation and suspected infarction, 1676

Atrial tachyarrhythmias
P wave signal-averaged electrocardiogram as a new marker for atrial tachyarrhythmias in postoperative Fontan patients, 602

Atrial tachycardia
Lidocaine-sensitive atrial tachycardia, 1637

Atrioventricular junction
Increased sympathetic activity after atrioventricular junction ablation in patients with chronic atrial fibrillation, 151

Atrioventricular reentrant tachycardia
Adenosine-5′-triphosphate test for the noninvasive diagnosis of concealed accessory pathway, 803

Atrioventricular septal defects
Atrioventricular septal defects diagnosed in fetal life: associated cardiac and extra-cardiac abnormalities and outcome, 593

Autoantibodies
Modulation of beta$_1$-adrenoceptor activity by domain-specific antibodies and heart failure-associated autoantibodies, 1280

Azimilide
Antiarrhythmic effects of azimilide in atrial fibrillation: efficacy and dose-response, 794

Balloon angioplasty
Endoluminal reconstruction of the arterial wall with endothelial cell/glue matrix reduces restenosis in an atherosclerotic rabbit, 1396

Balloon dilation
Pulmonary artery trauma due to balloon dilation: recognition, avoidance and management, 1684

Baroreceptors
Baroreceptor dysfunction induced by nitric oxide synthase inhibition in humans, 213

Baroreflex
Nonselective beta-adrenergic blocking agent, carvedilol, improves arterial baroreflex gain and heart rate variability in patients with stable chronic heart failure, 1612

Basic fibroblast growth factor
Basic fibroblast growth factor in patients with intermittent claudication: results of a phase I trial, 1239
Intracoronary basic fibroblast growth factor (FGF-2) in patients with severe ischemic heart disease: results of a phase I open-label dose escalation study, 2132

Benzodiazepines
Increased expression of peripheral benzodiazepine receptors on leukocytes in silent myocardial ischemia, 746

Beta-adrenergic receptors
Cardiac beta-Adrenoceptors in chronic uremia: studies in humans and rats, 607
Cardiac beta-adrenoceptors in chronic uremia: studies in humans and rats, 607
Gender differences in sensitivity to adrenergic agonists of forearm resistance vasculature, 1233
Modulation of beta$_1$-adrenoceptor activity by domain-specific antibodies and heart failure-associated autoantibodies, 1280
Relation of tissue Doppler derived myocardial velocities to myocardial structure and beta-adrenergic receptor density in humans, 891

Beta blockers
Antiremodeling effects on the left ventricle during beta-blockade with metoprolol in the treatment of chronic heart failure, 2072
Beta-blockers for atrial fibrillation: must we consider asymptomatic arrhythmias? (editorial), 147
Effect of carvedilol in comparison with metoprolol on myocardial collagen postinfarction, 276

Bilevel positive airway ventilation
High-dose intravenous isosorbide-dinitrate is safer and better than Bi-PAP ventilation combined with conventional treatment for severe pulmonary edema, 832

Bladder
Acute effects of urinary bladder distention on the coronary circulation in patients with early atherosclerosis, 453

Blood flow
See Myocardial blood flow; Pulmonary blood flow

Blood pressure
See also Hypertension
Exercise BP response in subjects with high-normal BP, 1626
Pulse pressure and risk for myocardial infarction and heart failure in the elderly, 130

Body mass
Incremental prognostic importance of body fat adjusted peak oxygen consumption in chronic heart failure, 2126

Brachytherapy
Effects of intracoronary brachytherapy on the natural history of postangioplasty dissections, 59
Late total occlusion after intracoronary brachytherapy for patients with in-stent restenosis, 65
Methodological and clinical implications of the relocation of the minimal luminal diameter after intracoronary radiation therapy, 1536

Bradykinin
Contribution of bradykinin receptors dysfunction to abnormal coronary vasomotion in humans, 1467

Brain natriuretic peptide
Contribution of endogenous nitric oxide to basal vasomotor tone of peripheral vessels and plasma b-type natriuretic peptide levels in patients with congestive heart failure, 1605
High levels of plasma brain natriuretic peptide and interleukin-6 after optimized treatment for heart failure are independent risk factors for morbidity and mortality in patients with congestive heart failure, 1587
Subcutaneous administration of brain natriuretic peptide in experimental heart failure, 1706

Brugada syndrome
Mode of onset of ventricular fibrillation in patients

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

with Brugada syndrome detected by implantable cardioverter defibrillator therapy, 1646

Buttoned devices
Results of transvenous occlusion of secundum atrial septal defects with the fourth generation buttoned device: comparison with first, second and third generation devices, 583

Bypass graft surgery
See Coronary artery bypass graft surgery

Calcium, coronary
Explaining the race paradox of coronary calcium prevalence and survival (letter), 308
Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening, 39

Calcium channel blockers
First line drugs in chronic stable effort angina—the case for newer, longer-acting calcium channel blocking agents, 1967

Calcium loading
Low concentrations of 17β-estradiol protect single cardiac cells against metabolic stress-induced Ca^{2+} loading, 948

Captopril
High dose angiotensin-converting enzyme inhibition prevents fluid volume expansion in heart transplant recipients, 487

Cardiac allograft vasculopathy
Plasma atherogenic markers in congestive heart failure and posttransplant (heart) patients, 509

Cardiac arrest
Cardiopulmonary cerebral resuscitation using emergency cardiopulmonary bypass, coronary reperfusion therapy and mild hypothermia in patients with cardiac arrest outside the hospital, 776

Cardiac cells
Low concentrations of 17β-estradiol protect single cardiac cells against metabolic stress-induced Ca^{2+} loading, 948
Myocardial cell damage in human hypertension, 2198

Cardiac events
Ability of troponin I to predict cardiac events in patients admitted from the emergency department, 1818
Preexisting arterial remodeling is associated with in-hospital and late adverse cardiac events after coronary intervention in patients with stable angina pectoris, 1860

Cardiac function
Enhanced secretion of cardiac hepatocyte growth factor from anatomy of infarct region is associated with less severe ventricular enlargement and improved cardiac function, 115

Cardiac output
End-tidal CO_2 pressure decreases during exercise in cardiac patients, 242
Responses to constant work rate bicycle ergometry exercise in primary pulmonary hypertension: the effect of inhaled nitric oxide, 547

Cardiac rehabilitation
See Rehabilitation

Cardiac tamponade
Cardiogenic shock due to cardiac free-wall rupture or tamponade after acute myocardial infarction: a report from the SHOCK Trial registry, 1117

Cardiogenic shock
Angiographic findings and clinical correlates in patients with cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1077
Cardiogenic shock complicating acute myocardial infarction—etiologies, management and outcome: a report from the SHOCK Trial registry, 1063
Cardiogenic shock due to acute severe mitral regurgitation complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1104
Cardiogenic shock due to cardiac free-wall rupture or tamponade after acute myocardial infarction: a report from the SHOCK Trial registry, 1117
Cardiogenic shock with non-ST-segment elevation myocardial infarction: a report from the SHOCK Trial registry, 1091
Clinical profile of patients with suspected cardiogenic shock due to predominant left ventricular failure: a report from the SHOCK Trial registry, 1071
Diabetes mellitus in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1097
Impact of thrombolysis, intra-aortic balloon pump counterpulsation, and their combination in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1123
Implications of the timing of onset of cardiogenic shock after acute myocardial infarction: a report from the SHOCK Trial registry, 1084
Outcome and profile of ventricular septal rupture with cardiogenic shock after myocardial infarction: a report from the SHOCK Trial registry, 1110
Platelet glycoprotein IIb/IIIa blockade and outcome of cardiogenic shock complicating acute coronary syndromes without persistent ST-segment elevation, 685

Cardiologist
Patient characteristics associated with care by a cardiologist among adults hospitalized with severe congestive heart failure, 2119

Cardiology
Joint efforts across national boundaries between professional organizations in cardiovascular medicine: one way into the future, 957
Metabolism—the lost child of cardiology (editorial), 1386
Perspective: the new millennium dawns on a new paradigm for cardiology—molecular genetics (review), 661

Cardiomyopathy
See also Dilated cardiomyopathy; Hypertrophic cardiomyopathy
Clinical profile and long-term follow-up of 37 families with arrhythmogenic right ventricular cardiomyopathy, 2226
Noninvasive characterization of stunned, hibernating, remodeled and nonviable myocardium in ischemic cardiomyopathy, 1913

Cardiopulmonary bypass
Cardiopulmonary cerebral resuscitation using emergency cardiopulmonary bypass, coronary reperfusion therapy and mild hypothermia in patients with cardiac arrest outside the hospital, 776

Cardiopulmonary reserve
Oxygen Uptake Efficiency Slope: an index of exercise performance and cardiopulmonary reserve requiring only submaximal exercise, 194

Cardioversion
American College of Cardiology/American Heart Association clinical competence statement on invasive electrophysiology studies, catheter ablation, and cardioversion, 1725
Use of metoprolol CR/XL to maintain sinus rhythm after conversion from persistent atrial fibrillation, 139

Carotid arteries
Carotid artery vasoreactivity in response to sympathetic stress correlates with coronary disease risk and is independent of wall thickness, 2192
Hormone replacement therapy and distensibility of carotid arteries in postmenopausal women: a randomized, controlled trial, 1789

Carvedilol
Congestive heart failure induces endothelial cell apoptosis: protective role of carvedilol, 2081
Effect of carvedilol in comparison with metoprolol on myocardial collagen postinfarction, 276
Nonselective beta-adrenergic blocking agent, carvedilol, improves arterial baroreflex gain and heart rate variability in patients with stable chronic heart failure, 1612

Catheters
American College of Cardiology/American Heart Association clinical competence statement on invasive electrophysiology studies, catheter ablation, and cardioversion, 1725
Massive pulmonary embolism: percutaneous emergency treatment by pigtail rotation catheter, 375
Reduced procedural risk for coronary catheter interventions in carriers of the coagulation factor VII-Gln^{353} gene, 1520

Cell adhesion molecules
Adhesion molecules in nonrheumatic aortic valve disease: endothelial expression, serum levels and effects of valve replacement, 2257
Evidence of prolonged inflammation in unstable angina and non-Q wave myocardial infarction, 1210
Plasma concentration of soluble vascular cell adhesion molecule-1 and subsequent cardiovascular risk, 423

Cerebrovascular accident
See Stroke

Cerivastatin
HMG-CoA reductase inhibition improves endothelial cell function and inhibits smooth muscle cell proliferation in human saphenous veins, 1691

Chemotherapy
Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy, 517

Chest pain
See also Angina pectoris
Ability of troponin I to predict cardiac events in patients admitted from the emergency department, 1818
Treatment and outcomes of left bundle-branch block patients with myocardial infarction who present without chest pain, 706

Children
See Pediatric cardiology

Chlamydia pneumoniae
Coronary heart disease and Chlamydia pneumoniae DNA in blood mononuclear cells (letter), 657

Cholesterol
See also Hypercholesterolemia; Lipoproteins

Low density lipoprotein and coronary microvascular dysfunction in hypercholesterolemia, 103
Cigarette smoking
See Smoking
Circadian rhythms
Circadian rhythm and sudden death in heart failure, 541
Claudication, intermittent
Basic fibroblast growth factor in patients with intermittent claudication: results of a phase I trial, 1239
Clomipramine
Provocation of neurocardiogenic syncope by clomipramine administration during the head-up tilt test in vasovagal syndrome, 174
Clopidogrel
Antiplatelet effects of clopidogrel compared with aspirin after myocardial infarction: enhanced inhibitory effects of combination therapy, 699
Risk of neutropenia with clopidogrel (letter), 1436
Coenzyme 10
Coenzyme Q10 as an adjunctive therapy in patients with congestive heart failure (letter), 304
Collateral vessels
Coronary collateral development during chronic ischemia: serial assessment using harmonic myocardial contrast echocardiography, 617
Computed tomography
See Single-photon emission computed tomography; Electron beam computed tomography
Congenital heart disease
Atrioventricular septal defects diagnosed in fetal life: associated cardiac and extra-cardiac abnormalities and outcome, 593
Isolated ductus arteriosus aneurysm in the fetus and infant: a multi-institutional experience, 255
Long-term outcome in congenitally corrected transposition of the great arteries, 255
Pulmonary valve replacement in adults late after repair of tetralogy of Fallot: are we operating too late?, 1670
P wave signal-averaged electrocardiogram as a new marker for atrial tachyarrhythmias in postoperative Fontan patients, 602
Results of transvenous occlusion of secundum atrial septal defects with the fourth generation buttoned device: comparison with first, second and third generation devices, 583
Congestive heart failure
See Heart failure
Contractility
Class III antiarrhythmic effect of sotalol exerts a reverse use-dependent positive inotropic effect in the intact canine heart, 1404
Contractile reserve and contrast uptake pattern by magnetic resonance imaging and functional recovery after reperfused myocardial infarction, 1835
Transmural contractile reserve after reperfused myocardial infarction in dogs, 2339
Contrast agents
Contrast-enhanced magnetic resonance imaging of myocardium at risk, 1985
Extraction efficiency of extracellular MRI contrast agents and its model-dependent effects on estimates of myocardial blood flow (letter), 307
Contrast echocardiography
See also Echocardiography
Bubbles and the science of life (editorial), 625
Coronary collateral development during chronic ischemia: serial assessment using harmonic myocardial contrast echocardiography, 617
Coronary arteries
Changes in high-frequency QRS components are more sensitive than ST-segment deviation for detecting acute coronary artery occlusion, 1827
Coronary microembolization (review), 22
Diffuse intimal thickening of coronary arteries in patients with coronary spastic angina, 432
Effect of type 1 diabetes mellitus on the gender difference in coronary artery calcification, 2160
Prediction of coronary events with electron beam computed tomography, 1253
Synergistic approach to optimal stenting: directional coronary atherectomy (DCA) prior to coronary artery stent implantation-the AtheroLink registry, 1853
Coronary artery bypass graft surgery
Atrial fibrillation after minimally invasive direct coronary artery bypass surgery, 1884
Challenges in comparing risk-adjusted bypass surgery mortality results, 2174
Diabetes and outcomes of coronary artery bypass graft surgery in patients with severe left ventricular dysfunction: results from the CABG Patch Trial database, 1166
Effect of race on coronary bypass operative mortality, 1870
How deadly is the "deadly quartet"?, 1159
Prognostic factors for atherosclerosis progression in saphenous vein grafts: the Postcoronary Artery Bypass Graft (post-CABG) trial, 1877
Smoking cessation reduces mortality after coronary artery bypass surgery: a 20-year follow-up study, 878
Coronary artery disease
See also Atherosclerosis; Coronary heart disease
Acute effects of urinary bladder distention on the coronary circulation in patients with early atherosclerosis, 453
American College of Cardiology/American Heart Association expert consensus document on electron-beam computed tomography for the diagnosis and prognosis of coronary artery disease, 326
Apolipoprotein E genotypes and response of plasma lipids and progression-regression of coronary atherosclerosis to lipid-lowering drug therapy, 1572
Carotid artery vasoreactivity in response to sympathetic stress correlates with coronary disease risk and is independent of wall thickness, 2192
Common variant of the *AMPD1* gene predicts improved cardiovascular survival in patients with coronary artery disease, 1248
Differential effects of high-frequency versus low-frequency exercise training in rehabilitation of patients with coronary artery disease, 202
Divergent effects of hormone therapy on serum markers of inflammation in postmenopausal women with coronary artery disease on appropriate medical management, 1797
Dobutamine-atropine stress echocardiography and dipyridamole sestamibi scintigraphy for the detection of coronary artery disease: limitations and concordance, 1265
Effect of folic acid and antioxidant vitamins on endothelial dysfunction in patients with coronary artery disease, 758
Effects of intracoronary brachytherapy on the natural history of postangioplasty dissections, 59
Exercise performance-based outcomes of medically treated patients with coronary artery disease and profound ST segment depression, 2140
Exercise testing and electron beam computed tomography in the evaluation of coronary artery disease, 32
Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening, 39
Low apolipoprotein A-IV plasma concentrations in men with coronary artery disease, 751
Management of coronary artery disease: therapeutic options in patients with diabetes (review), 355
Medium-term findings in coronary arteries by intravascular ultrasound in infants and children after heart transplantation, 250
Noninvasive detection of coronary artery stenosis using contrast-enhanced three-dimensional breath-hold magnetic resonance coronary angiography, 44
Prevention of recurrent life-threatening arrhythmias: will lipid-lowering therapy make a difference? (editorial), 773
Prognostic implications of Tc-99m sestamibi viability imaging and subsequent therapeutic strategy in patients with chronic coronary artery disease and left ventricular dysfunction, 739
Randomized, placebo-controlled trial of the angiotensin-converting enzyme inhibitor, ramipril, in patients with coronary or other occlusive arterial disease, 438
Rapid stress-testing protocol for the detection of coronary artery disease: comparison of two-stage transesophageal atrial pacing stress echocardiography with dobutamine stress echocardiography, 1659
Simvastatin inhibits the monocyte expression of proinflammatory cytokines in patients with hypercholesterolemia, 427
Statin therapy, lipid levels, C-reactive protein and survival of patients with angiographically severe coronary artery disease, 1774
Time course and extent of improvements of dysfunctioning myocardium in patients with coronary artery disease and severely depressed left ventricular function after revascularization: correlation with positron emission tomographic findings, 1927
Weight cycling and high-density lipoprotein cholesterol in women: evidence of an adverse effect, 1565
Coronary care unit
Risks associated with renal dysfunction in patients in the coronary care unit, 679
Coronary flow reserve
Coronary flow reserve improves after aortic valve replacement for aortic stenosis: an adenosine transthoracic echocardiography study, 1889
Coronary heart disease
Coronary heart disease and *Chlamydia pneumoniae* DNA in blood mononuclear cells (letter), 657
Effect of type 1 diabetes mellitus on the gender difference in coronary artery calcification, 2160
Coronary spastic angina
Diffuse intimal thickening of coronary arteries in patients with coronary spastic angina, 432
Coronary velocity reserve
French Randomized Optimal Stenting Trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography, 404

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

C-reactive protein
Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening, 39
Statin therapy, lipid levels, C-reactive protein and survival of patients with angiographically severe coronary artery disease, 1774
Creatine kinase
Randomized trial of the effects of early cardiac serum marker availability on reperfusion therapy in patients with acute myocardial infarction, 1500
Cryoablation
Limited posterior left atrial cryoablation in patients with chronic atrial fibrillation undergoing valvular heart surgery, 159
Cytokines
Relationship of the erythrocyte sedimentation rate to inflammatory cytokines and survival in patients with chronic heart failure treated with angiotensin-converting enzyme inhibitors, 523
Simvastatin inhibits the monocyte expression of proinflammatory cytokines in patients with hypercholesterolemia, 427
Deep venous thrombosis
Short- and long-term results after thrombolytic therapy of deep venous thrombosis, 1336
Diabetes mellitus
Atorvastatin but not L-arginine improves endothelial function in type I diabetes mellitus: a double-blind study, 410
Diabetes and outcomes of coronary artery bypass graft surgery in patients with severe left ventricular dysfunction: results from the CABG Patch Trial database, 1166
Diabetes mellitus in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1097
Effect of type 1 diabetes mellitus on the gender difference in coronary artery calcification, 2160
Effects of insulin-glucose infusion on left ventricular function at rest and during dynamic exercise in healthy subjects and noninsulin dependent diabetic patients, 219
Hyperinsulinemia during oral glucose tolerance test is associated with increased neointimal tissue proliferation after coronary stent implantation in nondiabetic patients, 731
Influence of diabetes mellitus on early and late clinical outcomes in saphenous vein graft stenting, 1186
Losartan, an angiotensin type 1 receptor antagonist, improves endothelial function in non-insulin-dependent diabetes, 1461
Management of coronary artery disease: therapeutic options in patients with diabetes (review), 355
President's page: the epidemic of type 2 diabetes and obesity in the U.S.: cause for alarm, 2347
Troglitazone reduces neointimal tissue proliferation after coronary stent implantation in patients with non-insulin dependent diabetes mellitus, 1529
Vitamin E supplementation improves endothelial function in type I diabetes mellitus: a randomized, placebo-controlled study, 94
Diastolic function
Demonstration of diastolic and presystolic Purkinje potentials as critical potentials in a macroreentry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 811
Regional diastolic function by pulsed Doppler myocardial mapping for the detection of left ventricular ischemia during pharmacologic stress testing, 444
Dichloroacetate
Dichloroacetate improves postischemic function of hypertrophied rat hearts, 1378
Diet
Enhanced peripheral vasodilation in humans after a fatty meal, 417
Postprandial effect of components of the Mediterranean diet on endothelial function, 1455
Diffusing capacity
Lack of improvement of lung diffusing capacity following fluid withdrawal by ultrafiltration in chronic heart failure, 1600
Dilated cardiomyopathy
See also Cardiomyopathy
Acute and short-term effects of partial left ventriculectomy in dilated cardiomyopathy: assessment by pressure-volume loops, 2104
Batista's operation: what have we learned? (editorial), 2115
Clusters of ventricular tachycardias signify impaired survival in patients with idiopathic dilated cardiomyopathy and implantable cardioverter defibrillators, 566
Evaluation of viral infection in the myocardium of patients with idiopathic dilated cardiomyopathy, 1920
Long-term follow-up of 34 adults with isolated left ventricular noncompaction: a distinct cardiomyopathy with poor prognosis, 493
Results of partial left ventriculectomy for dilated cardiomyopathy: hemodynamic, clinical and echocardiographic observations, 2098
Directional coronary atherectomy
Synergistic approach to optimal stenting: directional coronary atherectomy (DCA) prior to coronary artery stent implantation-the AtheroLink registry, 1853
Dobutamine
Dobutamine-atropine stress echocardiography and dipyridamole sestamibi scintigraphy for the detection of coronary artery disease: limitations and concordance, 1265
Dobutamine stress myocardial perfusion imaging, 2017
Left ventricular systolic dysfunction during exercise and dobutamine stress in patients with hypertrophic cardiomyopathy, 856
Rapid stress-testing protocol for the detection of coronary artery disease: comparison of two-stage transesophageal atrial pacing stress echocardiography with dobutamine stress echocardiography, 1659
Dopamine
Renal effect of low-dose dopamine in high-risk patients undergoing coronary angiography (letter), 306
Doppler echocardiography
See also Echocardiography
Doppler-derived dP/dt and -dP/dt predict survival in congestive heart failure, 1594
Expanding the frontiers of Doppler echocardiography for the noninvasive assessment of diastolic hemodynamics (editorial), 1950
Noninvasive estimation of transmitral pressure drop across the normal mitral valve in humans: importance of convective and inertial forces during left ventricular filling, 1942
Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode Doppler echocardiographic study, 1841
Quantification of tricuspid regurgitation by measuring the width of the vena contracta with Doppler color flow imaging: a clinical study, 472
Transmitral Doppler: a new transthoracic contrast method for patent foramen ovale detection and quantification, 1959
What are we actually measuring by Doppler tissue imaging? (editorial), 897
Ductus arteriosus
Isolated ductus arteriosus aneurysm in the fetus and infant: a multi-institutional experience, 255
Echocardiography
See also Doppler echocardiography
Coronary collateral development during chronic ischemia: serial assessment using harmonic myocardial contrast echocardiography, 617
Coronary echocardiography in tetralogy of Fallot: diagnostic accuracy, resource utilization and surgical implications over 13 years, 1371
Coronary flow reserve improves after aortic valve replacement for aortic stenosis: an adenosine transthoracic echocardiography study, 1889
Echocardiographic findings in fulminant and acute myocarditis, 227
Fish mouth and three-dimensional echocardiography: new technology catches an old problem (editorial), 1362
Improved assessment of mitral valve stenosis by volumetric real-time three-dimensional echocardiography, 1355
Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode Doppler echocardiographic study, 1841
Rapid stress-testing protocol for the detection of coronary artery disease: comparison of two-stage transesophageal atrial pacing stress echocardiography with dobutamine stress echocardiography, 1659
Relationship of echocardiographic indices to pulmonary capillary wedge pressure in healthy volunteers, 1664
Results of partial left ventriculectomy for dilated cardiomyopathy: hemodynamic, clinical and echocardiographic observations, 2098
Surgical left atrial appendage ligation is frequently incomplete: a transesophageal echocardiographic study, 468
Transesophageal echocardiographic description of the mechanisms of aortic regurgitation in acute type A aortic dissection: implications for aortic valve repair, 884
Validation of real-time three-dimensional echocardiography for quantifying left ventricular volumes in the presence of a left ventricular aneurysm: in vitro and in vivo studies, 900
Editorials
Angiotensin-converting enzyme inhibitor treatment after myocardial infarction, 2054
Batista's operation: what have we learned?, 2115
Beta-blockers for atrial fibrillation: must we consider asymptomatic arrhythmias?, 147
Bubbles and the science of life, 625
Challenge of improving risk assessment in asymptomatic individuals: the additive prognostic value of electron beam tomography?, 1261
Clinical application of the electrocardiogram, 1746
Clinical peer review or competitive hatchet job, 2347

Do no harm, 651
Don't cry me for Argentina, 1720
Expanding the frontiers of Doppler echocardiography for the noninvasive assessment of diastolic hemodynamics, 1950
Fellowship match selection process: where has collegiality gone?, 294
Fish mouth and three-dimensional echocardiography: new technology catches an old problem, 1362
Implantable defibrillators in the third millennium: increasingly relegated to a standby role?, 828
Is the optimal dose of angiotensin-converting enzyme inhibitors in patients with congestive heart failure definitely established?, 2096
Is the prognosis of heart failure improving?, 2284
Metabolism—the lost child of cardiology, 1386
Old age, left bundle branch block and acute myocardial infarction: a vexing and lethal combination, 713
OTC or not OTC—that is the question, 1426
PI^{A2}, a variant of GPIIIa, implicated in coronary thromboembolic complications, 90
Plagiarism—how serious is it?, 953
Prevention of recurrent life-threatening arrhythmias: will lipid-lowering therapy make a difference?, 773
Risk stratification in unstable angina: the role of clinical prediction models, 1809
Risk stratification with cardiac troponin I in acute coronary syndromes, 1824
Therapeutic angiogenesis: time for the next phase, 1245
Thrombogenesis and fibrinolysis in acute coronary syndromes, 2044
Tilt methodology in reflex syncope: emerging evidence, 179
T-wave alternans and serious ventricular arrhythmias: a tale of two T-waves, 2254
Union in reperfusion: the concept of facilitated percutaneous coronary intervention, 1497
Unraveling the pathophysiology of percutaneous coronary intervention: is it in the genes?, 1526
What are we actually measuring by Doppler tissue imaging?, 897

Efficacy and Safety of Subcutaneous Enoxaparin in Non-Q wave Coronary Events (ESSENCE) study
Randomized trial of low molecular weight heparin (enoxaparin) versus unfractionated heparin for unstable coronary artery disease: one-year results of the ESSENCE study, 693

Ejection fraction
Effect of mitral valve surgery on exercise capacity, ventricular ejection fraction and neurohormonal activation in patients with severe mitral regurgitation, 2263

Elderly
Contemporary outcome trends in the elderly undergoing percutaneous coronary interventions: results in 7,472 octogenarians, 723
Estrogen is associated with improved survival in aging women with congestive heart failure: analysis of the Vesnarinone studies, 529
Old age, left bundle branch block and acute myocardial infarction: a vexing and lethal combination (editorial), 713
Pulse pressure and risk for myocardial infarction and heart failure in the elderly, 130
Thrombolytic therapy in older patients, 366
Up to seven years of experience with the Ross procedure in patients >60 years of age, 1173

Electrocardiography
Centennial of the string galvanometer and the electrocardiogram (review), 1737
Changes in high-frequency QRS components are more sensitive than ST-segment deviation for detecting acute coronary artery occlusion, 1827
Clinical application of the electrocardiogram (editorial), 1746
Comparison of T-wave alternans, signal averaged electrocardiography and programmed ventricular stimulation for arrhythmia risk stratification, 2247
Electric cardiographic abnormalities are not hidden! (letter), 658
Marked ventricular repolarization abnormalities in highly trained athletes' electrocardiograms: clinical and prognostic implications, 1310
P wave signal-averaged electrocardiogram as a new marker for atrial tachyarrhythmias in postoperative Fontan patients, 602
Treatment of underlying atrial fibrillation: paced rhythm obscures recognition, 784

Electron beam computed tomography
American College of Cardiology/American Heart Association expert consensus document on electron-beam computed tomography for the diagnosis and prognosis of coronary artery disease, 326
Challenge of improving risk assessment in asymptomatic individuals: the additive prognostic value of electron beam tomography? (editorial), 1261
Exercise testing and electron beam computed tomography in the evaluation of coronary artery disease, 32
Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening, 39
Prediction of coronary events with electron beam computed tomography, 1253

Enalapril
Outcome of patients with congestive heart failure treated with standard versus high doses of enalapril: a multicenter study, 2090

Endothelial cells
Congestive heart failure induces endothelial cell apoptosis: protective role of carvedilol, 2081
Endogenous inhibitor of nitric oxide synthase regulates endothelial adhesiveness for monocytes, 2287
Endoluminal reconstruction of the arterial wall with endothelial cell/glue matrix reduces restenosis in an atherosclerotic rabbit, 1396
HMG-CoA reductase inhibition improves endothelial cell function and inhibits smooth muscle cell proliferation in human saphenous veins, 1691

Endothelial function
Atorvastatin but not L-arginine improves endothelial function in type I diabetes mellitus: a double-blind study, 410
Contribution of bradykinin receptors dysfunction to abnormal coronary vasomotion in humans, 1467
Effect of folic acid and antioxidant vitamins on endothelial dysfunction in patients with coronary artery disease, 758
Enhanced peripheral vasodilation in humans after a fatty meal, 417
Impact of heavy passive smoking on arterial endothelial function in modernized Chinese, 1228
Losartan, an angiotensin type 1 receptor antagonist, improves endothelial function in non-insulin-dependent diabetes, 1461
Low density lipoprotein and coronary microvascular dysfunction in hypercholesterolemia, 103
Neutrophil superoxide anion-generating capacity, endothelial function and oxidative stress in chronic heart failure: effects of short- and long-term vitamin C therapy, 1474
Postprandial effect of components of the Mediterranean diet on endothelial function, 1455
Vitamin E supplementation improves endothelial function in type I diabetes mellitus: a randomized, placebo-controlled study, 94

Endothelin-1
Endothelin-1 as a protective factor against beta-adrenergic agonist-induced apoptosis in cardiac myocytes, 1411
Increased activity of endogenous endothelin in patients with hypercholesterolemia, 1483

End-tidal CO_2 pressure
End-tidal CO_2 pressure decreases during exercise in cardiac patients, 242

Enoxaparin
Cardiac troponin I for stratification of early outcomes and the efficacy of enoxaparin in unstable angina: a TIMI-11B study, 1812
Low molecular weight heparin decreases rebound ischemia in unstable angina or non-Q-wave myocardial infarction: the Canadian ESSENCE ST segment monitoring study, 1507
Randomized trial of low molecular weight heparin (enoxaparin) versus unfractionated heparin for unstable coronary artery disease: one-year results of the ESSENCE study, 693

Enoximone
Low-dose enoximone improves exercise capacity in chronic heart failure, 501

Epidemiologic studies
Prevalence and correlates of aortic regurgitation in American Indians: the Strong Heart Study, 461

Epilepsy
Misdiagnosis of epilepsy: many seizure-like attacks have a cardiovascular cause, 181

Eptifibatide
Platelet glycoprotein IIb/IIIa blockade and outcome of cardiogenic shock complicating acute coronary syndromes without persistent ST-segment elevation, 685

Erythrocyte sedimentation rate
Relationship of the erythrocyte sedimentation rate to inflammatory cytokines and survival in patients with chronic heart failure treated with angiotensin-converting enzyme inhibitors, 523

E-selectin
Adhesion molecules in nonrheumatic aortic valve disease: endothelial expression, serum levels and effects of valve replacement, 2257

17β-Estradiol
Local delivery of 17-beta-estradiol decreases neointimal hyperplasia after coronary angioplasty in a porcine model, 1972

Estrogen
See also Hormone replacement therapy
Estrogen is associated with improved survival in aging women with congestive heart failure: analysis of the Vesnarinone studies, 529
Natural progesterone, but not medroxyprogesterone acetate, enhances the beneficial effect of

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

estrogen on exercise-induced myocardial ischemia in postmenopausal women, 2154
Excimer laser coronary angioplasty
Six-month clinical and angiographic outcome after successful excimer laser coronary angioplasty for in-stent restenosis, 69
Exercise
Differential effects of high-frequency versus low-frequency exercise training in rehabilitation of patients with coronary artery disease, 202
Effect of mitral valve surgery on exercise capacity, ventricular ejection fraction and neurohormonal activation in patients with severe mitral regurgitation, 2263
Effects of insulin-glucose infusion on left ventricular function at rest and during dynamic exercise in healthy subjects and noninsulin dependent diabetic patients, 219
End-tidal CO_2 pressure decreases during exercise in cardiac patients, 242
Exercise BP response in subjects with high-normal BP, 1626
Exercise training restores ischemic preconditioning in the aging heart, 643
Low-dose enoximone improves exercise capacity in chronic heart failure, 501
Oxygen Uptake Efficiency Slope: an index of exercise performance and cardiopulmonary reserve requiring only submaximal exercise, 194
Physical training in Syndrome X: physical training counteracts deconditioning and pain in Syndrome X, 1619
Postoperative exercise tolerance after aortic valve replacement by small-size prosthesis, 871
Exercise testing
See also Stress testing
Dobutamine-atropine stress echocardiography and dipyridamole sestamibi scintigraphy for the detection of coronary artery disease: limitations and concordance, 1265
Exercise performance-based outcomes of medically treated patients with coronary artery disease and profound ST segment depression, 2140
Exercise testing and electron beam computed tomography in the evaluation of coronary artery disease, 32
Rate-dependence of QT dispersion and the QT interval: comparison of atrial pacing and exercise testing, 1654
Responses to constant work rate bicycle ergometry exercise in primary pulmonary hypertension: the effect of inhaled nitric oxide, 547
Statistical methods to improve the precision of the treadmill exercise test, 1274
Utility of metabolic exercise testing in distinguishing hypertrophic cardiomyopathy from physiologic left ventricular hypertrophy in athletes, 864
Experimental studies
8-Chloro-cAMP inhibits smooth muscle cell proliferation in vitro and neointima formation induced by balloon injury in vivo, 288
Chronic therapy with metoprolol attenuates cardiomyocyte apoptosis in dogs with heart failure, 1698
Coronary collateral development during chronic ischemia: serial assessment using harmonic myocardial contrast echocardiography, 617
Effect of carvedilol in comparison with metoprolol on myocardial collagen postinfarction, 276
Electropharmacological characterization of cardiac repolarization in German shepherd dogs with an inherited syndrome of sudden death: abnormal response to potassium channel blockers, 939
HMG-CoA reductase inhibition improves endothelial cell function and inhibits smooth muscle cell proliferation in human saphenous veins, 1691
Signaling and expression of mitochondrial membrane proteins during left ventricular remodeling and contractile failure after myocardial infarction, 282
Subcutaneous administration of brain natriuretic peptide in experimental heart failure, 1706
Extracellular matrix
Immunoglobulin treatment ameliorates murine myocarditis associated with reduction of neurohumoral activity and improvement of extracellular matrix coverage, 1979
Factor VII
Reduced procedural risk for coronary catheter interventions in carriers of the coagulation factor VII-Gln^{353} gene, 1520
Unraveling the pathophysiology of percutaneous coronary intervention: is it in the genes? (editorial), 1526
Factor V Leiden
Prevalence of factor V Leiden and prothrombin variant G20210A in patients age <50 years with no significant stenoses at angiography after three to four weeks after myocardial infarction, 717
Fenfluramine
Underestimation of the valvulopathy effect of fenfluramine (letter), 1434
Fetus
Atrioventricular septal defects diagnosed in fetal life: associated cardiac and extra-cardiac abnormalities and outcome, 593
Fibrillation
See Atrial fibrillation; Ventricular fibrillation
Fibrinolysis
See also Thrombolytic therapy
Thrombin formation and fibrinolytic activity in patients with acute myocardial infarction or unstable angina: in-hospital course and relationship with recurrent angina at rest, 2036
Thrombogenesis and fibrinolysis in acute coronary syndromes (editorial), 2044
Filling, ventricular
Noninvasive estimation of transmitral pressure drop across the normal mitral valve in humans: importance of convective and inertial forces during left ventricular filling, 1942
Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode Doppler echocardiographic study, 1841
Fluid expansion
High dose angiotensin-converting enzyme inhibition prevents fluid volume expansion in heart transplant recipients, 487
Folic acid
Effect of folic acid and antioxidant vitamins on endothelial dysfunction in patients with coronary artery disease, 758
Fontan procedure
P wave signal-averaged electrocardiogram as a new marker for atrial tachyarrhythmias in postoperative Fontan patients, 602
Foramen ovale
Transmitral Doppler: a new transthoracic contrast method for patent foramen ovale detection and quantification, 1959
Galvanometer
Centennial of the string galvanometer and the electrocardiogram (review), 1737
Gender
See Men; Women
Gene therapy
Basic fibroblast growth factor in patients with intermittent claudication: results of a phase I trial, 1239
Glucose
Oral glucose loading acutely attenuates endothelium-dependent vasodilation in healthy adults without diabetes: an effect prevented by vitamins C and E, 2185
Glyceryl trinitrate
Sildenafil citrate potentiates the hypotensive effects of nitric oxide donor drugs in male patients with stable angina, 25
Glycoprotein IIb/IIIa receptors
Clinical benefit of glycoprotein IIb/IIIa blockade with abciximab is independent of gender, 381
Critical appraisal of platelet glycoprotein IIb/IIIa inhibition (review), 2028
Evidence of platelet activation during treatment with a GPIIb/IIIa antagonist in patients presenting with acute coronary syndromes, 1514
Platelet glycoprotein IIb/IIIa blockade and outcome of cardiogenic shock complicating acute coronary syndromes without persistent ST-segment elevation, 685
Platelet GPIIb/IIIa receptor blockade reduces infarct size in a canine model of ischemia-reperfusion, 2317
Glycoprotein IIIa
Glycoprotein IIIa $P1^{A1/A2}$ polymorphism and sudden cardiac death, 1317
PI^{A2}, a variant of GPIIIa implicated in coronary thromboembolic complications (editorial), 90
PI^{A} polymorphism of glycoprotein IIIa and risk of adverse effects after coronary stent placement, 84
Growth factors
Basic fibroblast growth factor in patients with intermittent claudication: results of a phase I trial, 1239
Modulation of in vivo cardiac hypertrophy with insulin-like growth factor-1 and angiotensin-converting enzyme inhibitor: relationship between change in myosin isoform and progression of left ventricular dysfunction, 635
Head-up tilt testing
See Tilt testing
Health care
Geographic variations in delivery of cardiovascular care: an issue of great importance to cardiovascular specialists, 652
Pharmacy perspective on managed care madness, 1432
President's page: high-quality cardiovascular care threatened by shortage of nurses and allied health professionals, 1722
President's page: the human genome project: implications for cardiologists and their patients, 295
Heart disease
See Congenital heart disease; Coronary heart disease
Heart failure
Acute type 5 phosphodiesterase inhibition with sildenafil enhances flow-mediated vasodilation in patients with chronic heart failure, 845
Antiremodeling effects on the left ventricle during beta-blockade with metoprolol in the treatment of chronic heart failure, 2072

Biventricular pacing diminishes the need for implantable cardioverter defibrillator therapy, 824
Chronic therapy with metoprolol attenuates cardiomyocyte apoptosis in dogs with heart failure, 1698
Circadian rhythm and sudden death in heart failure, 541
Clinical, cardiac, renal, arterial and neurohormonal effects of omapatrilat, a vasopeptidase inhibitor, in patients with chronic heart failure, 479
Coenzyme Q10 as an adjunctive therapy in patients with congestive heart failure (letter), 304
Congestive heart failure induces endothelial cell apoptosis: protective role of carvedilol, 2081
Contribution of endogenous nitric oxide to basal vasomotor tone of peripheral vessels and plasma b-type natriuretic peptide levels in patients with congestive heart failure, 1605
Doppler-derived dP/dt and -dP/dt predict survival in congestive heart failure, 1594
Estrogen is associated with improved survival in aging women with congestive heart failure: analysis of the Vesnarinone studies, 529
Hemodynamic and neurohumoral effects of continuous infusion of levosimendan in patients with congestive heart failure, 1903
High dose angiotensin-converting enzyme inhibition prevents fluid volume expansion in heart transplant recipients, 487
High levels of plasma brain natriuretic peptide and interleukin-6 after optimized treatment for heart failure are independent risk factors for morbidity and mortality in patients with congestive heart failure, 1587
Incremental prognostic importance of body fat adjusted peak oxygen consumption in chronic heart failure, 2126
Is myocardial $Na+/Ca^{2+}$ exchanger transcription a marker for different stages of myocardial dysfunction? Quantitative polymerase chain reaction of the messenger RNA in endomyocardial biopsies in patients with heart failure, 233
Is the optimal dose of angiotensin-converting enzyme inhibitors in patients with congestive heart failure definitely established? (editorial), 2096
Is the prognosis of heart failure improving? (editorial), 2284
Lack of improvement of lung diffusing capacity following fluid withdrawal by ultrafiltration in chronic heart failure, 1600
Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy, 517
Long-term follow-up of 34 adults with isolated left ventricular noncompaction: a distinct cardiomyopathy with poor prognosis, 493
Low-dose enoximone improves exercise capacity in chronic heart failure, 501
Modulation of $beta_1$-adrenoceptor activity by domain-specific antibodies and heart failure-associated autoantibodies, 1280
Neutrophil superoxide anion-generating capacity, endothelial function and oxidative stress in chronic heart failure: effects of short- and long-term vitamin C therapy, 1474
Nonselective beta-adrenergic blocking agent, carvedilol, improves arterial baroreflex gain and heart rate variability in patients with stable chronic heart failure, 1612
Outcome of patients with congestive heart failure treated with standard versus high doses of enalapril: a multicenter study, 2090
Patient characteristics associated with care by a cardiologist among adults hospitalized with severe congestive heart failure, 2119
Plasma atherogenic markers in congestive heart failure and posttransplant (heart) patients, 509
Pulse pressure and risk for myocardial infarction and heart failure in the elderly, 130
Relationship of the erythrocyte sedimentation rate to inflammatory cytokines and survival in patients with chronic heart failure treated with angiotensin-converting enzyme inhibitors, 523
Sarcolemmal Na+/H+ exchanger activity and expression in human ventricular myocardium, 534
Spironolactone inhibits the transcardiac extraction of aldosterone in patients with congestive heart failure, 838
Subcutaneous administration of brain natriuretic peptide in experimental heart failure, 1706

Heart rate
Baroreceptor dysfunction induced by nitric oxide synthase inhibition in humans, 213
Nonselective beta-adrenergic blocking agent, carvedilol, improves arterial baroreflex gain and heart rate variability in patients with stable chronic heart failure, 1612

Heart transplantation
High dose angiotensin-converting enzyme inhibition prevents fluid volume expansion in heart transplant recipients, 487
Medium-term findings in coronary arteries by intravascular ultrasound in infants and children after heart transplantation, 250
Plasma atherogenic markers in congestive heart failure and posttransplant (heart) patients, 509
Survival analysis and risk factors for mortality in transplantation and staged surgery for hypoplastic left heart syndrome, 1178

Hemodynamics
Baroreceptor dysfunction induced by nitric oxide synthase inhibition in humans, 213
Elevated circulating levels of serum tumor necrosis factor-alpha in patients with hemodynamically significant pressure and volume overload, 208
Expanding the frontiers of Doppler echocardiography for the noninvasive assessment of diastolic hemodynamics (editorial), 1950
Hemodynamic and clinical impact of prosthesis-patient mismatch in the aortic valve position and its prevention (review), 1131
Hemodynamic and neurohumoral effects of continuous infusion of levosimendan in patients with congestive heart failure, 1903
Nitroglycerin rebound associated with vascular, rather than platelet, hypersensitivity, 2311
Results of partial left ventriculectomy for dilated cardiomyopathy: hemodynamic, clinical and echocardiographic observations, 2098

Heparin
Low molecular weight heparin decreases rebound ischemia in unstable angina or non-Q-wave myocardial infarction: the Canadian ESSENCE ST segment monitoring study, 1507
Randomized trial of low molecular weight heparin (enoxaparin) versus unfractionated heparin for unstable coronary artery disease: one-year results of the ESSENCE study, 693

Hepatocyte growth factor
Enhanced secretion of cardiac hepatocyte growth factor from anatomy of infarct region is associated with less severe ventricular enlargement and improved cardiac function, 115

HMG-CoA reductase inhibitors
HMG-CoA reductase inhibition improves endothelial cell function and inhibits smooth muscle cell proliferation in human saphenous veins, 1691
Prevention of recurrent life-threatening arrhythmias: will lipid-lowering therapy make a difference? (editorial), 773
Statin therapy, lipid levels, C-reactive protein and survival of patients with angiographically severe coronary artery disease, 1774

Homocysteine
Elevated homocysteine levels are associated with increased ischemic myocardial injury in acute coronary syndromes, 1217

Hormone replacement therapy
See also Estrogen
Divergent effects of hormone therapy on serum markers of inflammation in postmenopausal women with coronary artery disease on appropriate medical management, 1797
Hormone replacement therapy and distensibility of carotid arteries in postmenopausal women: a randomized, controlled trial, 1789

Hospitals
Angioplasty for acute myocardial infarction in community hospital without surgical back-up: response to Wharton and Angelini publications "Should guidelines be changed?: Not whether but when" (letter), 299
Decreasing hospital mortality between 1994 and 1998 in patients with acute myocardial infarction treated with primary angioplasty but not in patients treated with intravenous thrombolysis, 2064

Hypercholesterolemia
See also Hypercholesterolemia; Lipoproteins
Increased activity of endogenous endothelin in patients with hypercholesterolemia, 1483
Low density lipoprotein and coronary microvascular dysfunction in hypercholesterolemia, 103
Simvastatin inhibits the monocyte expression of proinflammatory cytokines in patients with hypercholesterolemia, 427

Hyperinsulinemia
Hyperinsulinemia during oral glucose tolerance test is associated with increased neointimal tissue proliferation after coronary stent implantation in nondiabetic patients, 731

Hypertension
See also Blood pressure
Exercise BP response in subjects with high-normal BP, 1626
Myocardial cell damage in human hypertension, 2198

Hypertrophic cardiomyopathy
How the left and right sides of the heart, as well as pulmonary venous drainage, adapt to an increasing degree of head-up tilting in hypertrophic cardiomyopathy: differences from the normal heart, 185
Left ventricular systolic dysfunction during exercise and dobutamine stress in patients with hypertrophic cardiomyopathy, 856
Mitral regurgitation in hypertrophic obstructive cardiomyopathy: relationship to obstruction and relief with myectomy, 2219
Myocardial bridging does not predict sudden death in children with hypertrophic cardiomyopathy but is associated with more severe cardiac disease, 2270

Nonsurgical septal reduction therapy for hypertrophic obstructive cardiomyopathy: one-year follow-up, 852
Sudden death in hypertrophic cardiomyopathy: identification of high risk patients, 2212
Systolic anterior motion begins at low left ventricular outflow tract velocity in obstructive hypertrophic cardiomyopathy, 1344
Utility of metabolic exercise testing in distinguishing hypertrophic cardiomyopathy from physiologic left ventricular hypertrophy in athletes, 864

Hypertrophy
See also Cardiomyopathy
Evolving changes in Doppler mitral flow velocity pattern in rats with hypertensive hypertrophy, 2333
Modulation of in vivo cardiac hypertrophy with insulin-like growth factor-1 and angiotensin-converting enzyme inhibitor: relationship between change in myosin isoform and progression of left ventricular dysfunction, 635
Myocardial cell damage in human hypertension, 2198
Utility of metabolic exercise testing in distinguishing hypertrophic cardiomyopathy from physiologic left ventricular hypertrophy in athletes, 864

Hypoplastic left heart syndrome
Survival analysis and risk factors for mortality in transplantation and staged surgery for hypoplastic left heart syndrome, 1178

Hypothermia
Cardiopulmonary cerebral resuscitation using emergency cardiopulmonary bypass, coronary reperfusion therapy and mild hypothermia in patients with cardiac arrest outside the hospital, 776

Hypoxia
Low concentrations of 17β-estradiol protect single cardiac cells against metabolic stress-induced Ca^{2+} loading, 948

Idiopathic dilated cardiomyopathy
See Dilated cardiomyopathy

Iloprost
Calculation of resistance to pulmonary perfusion (letter), 1440

Imaging techniques
See also Computed tomography; Magnetic resonance imaging
Techniques characterizing the coronary atherosclerotic plaque: influence on clinical decision making? (review), 13

Immunoglobulins
Immunoglobulin treatment ameliorates murine myocarditis associated with reduction of neurohumoral activity and improvement of extracellular matrix coverage, 1979

Implantable cardioverter-defibrillators
Biventricular pacing diminishes the need for implantable cardioverter defibrillator therapy, 824
Clusters of ventricular tachycardias signify impaired survival in patients with idiopathic dilated cardiomyopathy and implantable cardioverter defibrillators, 566
Implantable defibrillators in the third millennium: increasingly relegated to a standby role? (editorial), 828
Lipid lowering drugs and recurrences of life-threatening ventricular arrhythmias in high-risk patients, 766
Mode of onset of ventricular fibrillation in patients with Brugada syndrome detected by implantable cardioverter defibrillator therapy, 1646
Ventricular tachycardias above the initially programmed tachycardia detection interval in patients with implantable cardioverter-defibrillators, 557

Infarction
See Myocardial infarction

Infection
Evaluation of viral infection in the myocardium of patients with idiopathic dilated cardiomyopathy, 1920
Plasma concentration of bacterial lipopolysaccharide: a marker of infection or inflammation? (letter), 656

Inflammation
Divergent effects of hormone therapy on serum markers of inflammation in postmenopausal women with coronary artery disease on appropriate medical management, 1797
Evidence of prolonged inflammation in unstable angina and non-Q wave myocardial infarction, 1210
Plasma concentration of bacterial lipopolysaccharide: a marker of infection or inflammation? (letter), 656

Insulin
Effects of insulin-glucose infusion on left ventricular function at rest and during dynamic exercise in healthy subjects and noninsulin dependent diabetic patients, 219

Insulin-like growth factor-1
Modulation of in vivo cardiac hypertrophy with insulin-like growth factor-1 and angiotensin-converting enzyme inhibitor: relationship between change in myosin isoform and progression of left ventricular dysfunction, 635

Interleukin-1
Protective role against restenosis from an interleukin-1 receptor antagonist gene polymorphism in patients treated with coronary stenting, 2168

Interleukin-6
High levels of plasma brain natriuretic peptide and interleukin-6 after optimized treatment for heart failure are independent risk factors for morbidity and mortality in patients with congestive heart failure, 1587

Interventional cardiology
Clinical benefit of glycoprotein IIb/IIIa blockade with abciximab is independent of gender, 381
Comparison of short- and long-term outcomes for balloon angioplasty and coronary stent placement, 395
Contemporary outcome trends in the elderly undergoing percutaneous coronary interventions: results in 7,472 octogenarians, 723
French Randomized Optimal Stenting Trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography, 404
Improving outcome over time of percutaneous coronary interventions in unstable angina, 674
Influence of diabetes mellitus on early and late clinical outcomes in saphenous vein graft stenting, 1186
Long-term clinical outcome after endoluminal reconstruction of diffusely degenerated saphenous vein grafts with less-shortening Wallstents, 387
Massive pulmonary embolism: percutaneous emergency treatment by pigtail rotation catheter, 375
Reduced procedural risk for coronary catheter interventions in carriers of the coagulation factor VII-Gln^{353} gene, 1520
Results from late-breaking clinical trials sessions at ACCIS 2000 and ACC 2000, 310
Synergistic approach to optimal stenting: directional coronary atherectomy (DCA) prior to coronary artery stent implantation—the AtheroLink registry, 1853
Ten-year experience with early angioplasty in 759 patients with acute myocardial infarction, 51

Intima
Diffuse intimal thickening of coronary arteries in patients with coronary spastic angina, 432
Inhibition of tissue factor reduces thrombus formation and intimal hyperplasia after porcine coronary angioplasty, 2303

Intra-aortic balloon pump counterpulsation
Impact of thrombolysis, intra-aortic balloon pump counterpulsation, and their combination in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1123

Intracellular adhesion molecule-1
Vascular adhesion protein-1, intracellular adhesion molecule-1 and P-selectin mediate leukocyte binding to ischemic heart in humans, 122

Intravascular ultrasound
Medium-term findings in coronary arteries by intravascular ultrasound in infants and children after heart transplantation, 250

Ischemia
Coronary collateral development during chronic ischemia: serial assessment using harmonic myocardial contrast echocardiography, 617
Elevated homocysteine levels are associated with increased ischemic myocardial injury in acute coronary syndromes, 1217
Evidence of reduced resting blood flow in viable myocardial regions with chronic asynergy, 2146
Exercise training restores ischemic preconditioning in the aging heart, 643
Increased expression of peripheral benzodiazepine receptors on leukocytes in silent myocardial ischemia, 746
Intracoronary basic fibroblast growth factor (FGF-2) in patients with severe ischemic heart disease: results of a phase I open-label dose escalation study, 2132
Low molecular weight heparin decreases rebound ischemia in unstable angina or non-Q-wave myocardial infarction: the Canadian ESSENCE ST segment monitoring study, 1507
Natural progesterone, but not medroxyprogesterone acetate, enhances the beneficial effect of estrogen on exercise-induced myocardial ischemia in postmenopausal women, 2154
Vascular adhesion protein-1, intracellular adhesion molecule-1 and P-selectin mediate leukocyte binding to ischemic heart in humans, 122

Isolated ventricular noncompaction
Long-term follow-up of 34 adults with isolated left ventricular noncompaction: a distinct cardiomyopathy with poor prognosis, 493

Isosorbide dinitrate
High-dose intravenous isosorbide-dinitrate is safer and better than Bi-PAP ventilation combined with conventional treatment for severe pulmonary edema, 832

Isosorbide mononitrate
Sildenafil citrate potentiates the hypotensive effects

of nitric oxide donor drugs in male patients with stable angina, 25

Jervell-Lange-Nielsen syndrome
Long QT syndromes: genetic basis and clinical implications (review), 1

Joint European Society of Cardiology/American College of Cardiology Committee for the Redefinition of Myocardial Infarction
Myocardial infarction redefined—a consensus document of the Joint European Society of Cardiology/American College of Cardiology Committee for the Redefinition of Myocardial Infarction, 959

L-Arginine
Atorvastatin but not L-arginine improves endothelial function in type I diabetes mellitus: a double-blind study, 410

Left atrial appendage
Surgical left atrial appendage ligation is frequently incomplete: a transesophageal echocardiographic study, 468

Left atrium
Influence of left ventricular dysfunction on the role of atrial contraction, 1713
Limited posterior left atrial cryoablation in patients with chronic atrial fibrillation undergoing valvular heart surgery, 159
Outcomes of left atrial isomerism over a 28-year period at a single institution, 908
Surgical left atrial appendage ligation is frequently incomplete: a transesophageal echocardiographic study, 468

Left bundle branch block
Old age, left bundle branch block and acute myocardial infarction: a vexing and lethal combination (editorial), 713
Treatment and outcomes of left bundle-branch block patients with myocardial infarction who present without chest pain, 706

Left ventricle
See also Ventricular function
Antiremodeling effects on the left ventricle during beta-blockade with metoprolol in the treatment of chronic heart failure, 2072
Clinical profile of patients with suspected cardiogenic shock due to predominant left ventricular failure: a report from the SHOCK Trial registry, 1071
Demonstration of diastolic and presystolic Purkinje potentials as critical potentials in a macroreentry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 811
Diabetes and outcomes of coronary artery bypass graft surgery in patients with severe left ventricular dysfunction: results from the CABG Patch Trial database, 1166
Doppler-derived dP/dt and -dP/dt predict survival in congestive heart failure, 1594
Effect of very early angiotensin-converting enzyme inhibition on left ventricular dilation after myocardial infarction in patients receiving thrombolysis, 2047
Effects of insulin-glucose infusion on left ventricular function at rest and during dynamic exercise in healthy subjects and noninsulin dependent diabetic patients, 219
Enhanced secretion of cardiac hepatocyte growth factor from anatomy of infarct region is associated with less severe ventricular enlargement and improved cardiac function, 115
Influence of left ventricular dysfunction on the role of atrial contraction, 1713
Left ventricular assist device implantation augments nitric oxide dependent control of mitochondrial respiration in failing human hearts, 1897
Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy, 517
Left ventricular systolic dysfunction during exercise and dobutamine stress in patients with hypertrophic cardiomyopathy, 856
Long-term follow-up of 34 adults with isolated left ventricular noncompaction: a distinct cardiomyopathy with poor prognosis, 493
Modulation of in vivo cardiac hypertrophy with insulin-like growth factor-1 and angiotensin-converting enzyme inhibitor: relationship between change in myosin isoform and progression of left ventricular dysfunction, 635
Pressure relaxation of the left ventricle and filling pressures (letter), 1438
Prognostic implications of Tc-99m sestamibi viability imaging and subsequent therapeutic strategy in patients with chronic coronary artery disease and left ventricular dysfunction, 739
Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction: contribution of the difference in duration of pulmonary venous and mitral flow at atrial contraction, 1295
Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode Doppler echocardiographic study, 1841
Regional diastolic function by pulsed Doppler myocardial mapping for the detection of left ventricular ischemia during pharmacologic stress testing, 444
Signaling and expression of mitochondrial membrane proteins during left ventricular remodeling and contractile failure after myocardial infarction, 282
Systolic anterior motion begins at low left ventricular outflow tract velocity in obstructive hypertrophic cardiomyopathy, 1344
Time course and extent of improvements of dysfunctioning myocardium in patients with coronary artery disease and severely depressed left ventricular function after revascularization: correlation with positron emission tomographic findings, 1927
Utility of metabolic exercise testing in distinguishing hypertrophic cardiomyopathy from physiologic left ventricular hypertrophy in athletes, 864
Validation of real-time three-dimensional echocardiography for quantifying left ventricular volumes in the presence of a left ventricular aneurysm: in vitro and in vivo studies, 900

Letters to the editor
Alert to physicians: possible interaction of aggrenox and adenosine, 1432
Angioplasty for acute myocardial infarction in community hospital without surgical back-up: response to Wharton and Angelini publications "Should guidelines be changed?: Not whether but when," 299
Calculation of resistance to pulmonary perfusion, 1440
Coenzyme Q10 as an adjunctive therapy in patients with congestive heart failure, 304
Coronary anatomy in acute myocardial infarction patients with sudden out-of-hospital death, 1433
Coronary heart disease and *Chlamydia pneumoniae* DNA in blood mononuclear cells, 657
Electric cardiographic abnormalities are not hidden!, 658
Extraction efficiency of extracellular MRI contrast agents and its model-dependent effects on estimates of myocardial blood flow, 307
Improvement of myocardial blood flow to ischemic regions by angiotensin-converting enzyme inhibition, 1437
Nonocclusive coronary dissections: to stent or not to stent?, 303
Pharmacists agree: stop the pharmacy madness, 1432
Pharmacy perspective on managed care madness, 1432
Plasma concentration of bacterial lipopolysaccharide: a marker of infection or inflammation?, 656
Pressure relaxation of the left ventricle and filling pressures, 1438
Renal effect of low-dose dopamine in high-risk patients undergoing coronary angiography, 306
Risk of neutropenia with clopidogrel, 1436
Underestimation of the valvulopathy effect of fenfluramine, 1434

Leukocytes
Increased expression of peripheral benzodiazepine receptors on leukocytes in silent myocardial ischemia, 746
Vascular adhesion protein-1, intracellular adhesion molecule-1 and P-selectin mediate leukocyte binding to ischemic heart in humans, 122

Levosimendan
Hemodynamic and neurohumoral effects of continuous infusion of levosimendan in patients with congestive heart failure, 1903

Lidocaine
Lidocaine-sensitive atrial tachycardia, 1637

Ligament of Marshall
Ligament of Marshall: a structural analysis in human hearts with implications for atrial arrhythmias, 1324

Lipid-lowering drugs
Apolipoprotein E genotypes and response of plasma lipids and progression-regression of coronary atherosclerosis to lipid-lowering drug therapy, 1572
Lipid lowering drugs and recurrences of life-threatening ventricular arrhythmias in high-risk patients, 766

Lipids
See also Lipoproteins

Lipopolysaccharides
Plasma concentration of bacterial lipopolysaccharide: a marker of infection or inflammation? (letter), 656

Lipoproteins
See also Cholesterol; Hypercholesterolemia; Lipids
Aggressive low density lipoprotein lowering controversy, 1419
Low density lipoprotein and coronary microvascular dysfunction in hypercholesterolemia, 103
Weight cycling and high-density lipoprotein cholesterol in women: evidence of an adverse effect, 1565

Losartan
Losartan, an angiotensin type 1 receptor antagonist, improves endothelial function in non-insulin-dependent diabetes, 1461

Magnetic resonance angiography
See Angiography

Magnetic resonance imaging
Contractile reserve and contrast uptake pattern by magnetic resonance imaging and functional recovery after reperfused myocardial infarction, 1835
Contrast-enhanced magnetic resonance imaging of myocardium at risk, 1985
Improvement of myocardial perfusion reserve early after coronary intervention: assessment with cardiac magnetic resonance imaging, 1557
Magnetic resonance spectroscopy
Magnetic resonance spectroscopy evidence of abnormal cardiac energetics in Xp21 muscular dystrophy, 1953
Managed care
Pharmacy perspective on managed care madness, 1432
Medroxyprogesterone acetate
Natural progesterone, but not medroxyprogesterone acetate, enhances the beneficial effect of estrogen on exercise-induced myocardial ischemia in postmenopausal women, 2154
Men
Gender differences in sensitivity to adrenergic agonists of forearm resistance vasculature, 1233
Low apolipoprotein A-IV plasma concentrations in men with coronary artery disease, 751
Metabolism
Effects of insulin-glucose infusion on left ventricular function at rest and during dynamic exercise in healthy subjects and noninsulin dependent diabetic patients, 219
Magnetic resonance spectroscopy evidence of abnormal cardiac energetics in Xp21 muscular dystrophy, 1953
Metabolism—the lost child of cardiology (editorial), 1386
Metoprolol
Antiremodeling effects on the left ventricle during beta-blockade with metoprolol in the treatment of chronic heart failure, 2072
Chronic therapy with metoprolol attenuates cardiomyocyte apoptosis in dogs with heart failure, 1698
Effect of carvedilol in comparison with metoprolol on myocardial collagen postinfarction, 276
Use of metoprolol CR/XL to maintain sinus rhythm after conversion from persistent atrial fibrillation, 139
Microembolization
Coronary microembolization (review), 22
Minimal luminal diameter
Methodological and clinical implications of the relocation of the minimal luminal diameter after intracoronary radiation therapy, 1536
Mitochondrial membrane proteins
Signaling and expression of mitochondrial membrane proteins during left ventricular remodeling and contractile failure after myocardial infarction, 282
Mitral regurgitation
Cardiogenic shock due to acute severe mitral regurgitation complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1104
Effect of mitral valve surgery on exercise capacity, ventricular ejection fraction and neurohormonal activation in patients with severe mitral regurgitation, 2263
Mitral regurgitation in hypertrophic obstructive cardiomyopathy: relationship to obstruction and relief with myectomy, 2219
Underestimation of the valvulopathy effect of fenfluramine (letter), 1434
Mitral stenosis
Improved assessment of mitral valve stenosis by volumetric real-time three-dimensional echocardiography, 1355
Mitral valve
Effect of mitral valve surgery on exercise capacity, ventricular ejection fraction and neurohormonal activation in patients with severe mitral regurgitation, 2263
Evolving changes in Doppler mitral flow velocity pattern in rats with hypertensive hypertrophy, 2333
Noninvasive estimation of transmitral pressure drop across the normal mitral valve in humans: importance of convective and inertial forces during left ventricular filling, 1942
Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction: contribution of the difference in duration of pulmonary venous and mitral flow at atrial contraction, 1295
Surgical left atrial appendage ligation is frequently incomplete: a transesophageal echocardiographic study, 468
Systolic anterior motion begins at low left ventricular outflow tract velocity in obstructive hypertrophic cardiomyopathy, 1344
Molecular genetics
Perspective: the new millennium dawns on a new paradigm for cardiology-molecular genetics (review), 661
Monocytes
Endogenous inhibitor of nitric oxide synthase regulates endothelial adhesiveness for monocytes, 2287
Mononuclear cells
Coronary heart disease and *Chlamydia pneumoniae* DNA in blood mononuclear cells (letter), 657
Mortality
Challenges in comparing risk-adjusted bypass surgery mortality results, 2174
Decreasing hospital mortality between 1994 and 1998 in patients with acute myocardial infarction treated with primary angioplasty but not in patients treated with intravenous thrombolysis, 2064
Effect of race on coronary bypass operative mortality, 1870
High levels of plasma brain natriuretic peptide and interleukin-6 after optimized treatment for heart failure are independent risk factors for morbidity and mortality in patients with congestive heart failure, 1587
How deadly is the "deadly quartet"?, 1159
Short- and long-term mortality for patients undergoing primary angioplasty for acute myocardial infarction, 1194
Smoking cessation reduces mortality after coronary artery bypass surgery: a 20-year follow-up study, 878
Survival analysis and risk factors for mortality in transplantation and staged surgery for hypoplastic left heart syndrome, 1178
Muscular dystrophies
Magnetic resonance spectroscopy evidence of abnormal cardiac energetics in Xp21 muscular dystrophy, 1953
Myectomy
Mitral regurgitation in hypertrophic obstructive cardiomyopathy: relationship to obstruction and relief with myectomy, 2219
Myocardial blood flow
Evidence of reduced resting blood flow in viable myocardial regions with chronic asynergy, 2146
Extraction efficiency of extracellular MRI contrast agents and its model-dependent effects on estimates of myocardial blood flow (letter), 307
Improvement of myocardial blood flow to ischemic regions by angiotensin-converting enzyme inhibition (letter), 1437
Myocardial bridging
Myocardial bridging does not predict sudden death in children with hypertrophic cardiomyopathy but is associated with more severe cardiac disease, 2270
Myocardial cells
See Cardiac cells
Myocardial infarction
ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction, 970
Angiographic findings and clinical correlates in patients with cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1077
Angiographic no-reflow phenomenon as a predictor of adverse long-term outcome in patients treated with percutaneous transluminal coronary angioplasty for first acute myocardial infarction, 1202
Angioplasty for acute myocardial infarction in community hospital without surgical back-up: response to Wharton and Angelini publications "Should guidelines be changed?: Not whether but when" (letter), 299
Angiotensin-converting enzyme inhibitor treatment after myocardial infarction (editorial), 2054
Antiplatelet effects of clopidogrel compared with aspirin after myocardial infarction: enhanced inhibitory effects of combination therapy, 699
Cardiogenic shock complicating acute myocardial infarction—etiologies, management and outcome: a report from the SHOCK Trial registry, 1063
Cardiogenic shock due to acute severe mitral regurgitation complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1104
Cardiogenic shock with non-ST-segment elevation myocardial infarction: a report from the SHOCK Trial registry, 1091
Contractile reserve and contrast uptake pattern by magnetic resonance imaging and functional recovery after reperfused myocardial infarction, 1835
Coronary anatomy in acute myocardial infarction patients with sudden out-of-hospital death (letter), 1433
Decreasing hospital mortality between 1994 and 1998 in patients with acute myocardial infarction treated with primary angioplasty but not in patients treated with intravenous thrombolysis, 2064
Diabetes mellitus in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1097
Effect of very early angiotensin-converting enzyme inhibition on left ventricular dilation after myocardial infarction in patients receiving thrombolysis, 2047
Enhanced secretion of cardiac hepatocyte growth factor from anatomy of infarct region is associated with less severe ventricular

enlargement and improved cardiac function, 115
Evidence of prolonged inflammation in unstable angina and non-Q wave myocardial infarction, 1210
Facilitation of early percutaneous coronary intervention after reteplase with or without abciximab in acute myocardial infarction, 1489
Implications of the timing of onset of cardiogenic shock after acute myocardial infarction: a report from the SHOCK Trial registry, 1084
Incidence and predictors of myocardial infarction among patients with atrial fibrillation, 1223
Myocardial infarction redefined—a consensus document of the Joint European Society of Cardiology/American College of Cardiology Committee for the Redefinition of Myocardial Infarction, 959
Myocardial viability assessed by positron emission tomography in infants and children after the arterial switch operation and suspected infarction, 1676
Old age, left bundle branch block and acute myocardial infarction: a vexing and lethal combination (editorial), 713
Outcome and profile of ventricular septal rupture with cardiogenic shock after myocardial infarction: a report from the SHOCK Trial registry, 1110
Platelet GPIIb/IIIa receptor blockade reduces infarct size in a canine model of ischemia-reperfusion, 2317
Prevalence of factor V Leiden and prothrombin variant G20210A in patients age <50 years with no significant stenoses at angiography after three to four weeks after myocardial infarction, 717
Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode Doppler echocardiographic study, 1841
Pulse pressure and risk for myocardial infarction and heart failure in the elderly, 130
Randomized trial of low molecular weight heparin (enoxaparin) versus unfractionated heparin for unstable coronary artery disease: one-year results of the ESSENCE study, 693
Randomized trial of the effects of early cardiac serum marker availability on reperfusion therapy in patients with acute myocardial infarction, 1500
Short- and long-term mortality for patients undergoing primary angioplasty for acute myocardial infarction, 1194
Signaling and expression of mitochondrial membrane proteins during left ventricular remodeling and contractile failure after myocardial infarction, 282
Temporal trends in the treatment of over 1.5 million patients with myocardial infarction in the U.S. from 1990 through 1999: the National Registry of Myocardial Infarction 1, 2 and 3, 2056
Ten-year experience with early angioplasty in 759 patients with acute myocardial infarction, 51
Thrombin formation and fibrinolytic activity in patients with acute myocardial infarction or unstable angina: in-hospital course and relationship with recurrent angina at rest, 2036
Thrombolytic therapy in older patients, 366
Transmural contractile reserve after reperfused myocardial infarction in dogs, 2339
Treatment and outcomes of left bundle-branch block patients with myocardial infarction who present without chest pain, 706
Vascular adhesion protein-1, intracellular adhesion molecule-1 and P-selectin mediate leukocyte binding to ischemic heart in humans, 122

Myocardial ischemia
See Ischemia

Myocardial perfusion
Improvement of myocardial perfusion reserve early after coronary intervention: assessment with cardiac magnetic resonance imaging, 1557
Myocardial perfusion and function of the systemic right ventricle in patients after atrial switch procedure for complete transposition: long-term follow-up, 1365

Myocardial viability
Myocardial viability assessed by positron emission tomography in infants and children after the arterial switch operation and suspected infarction, 1676

Myocarditis
Echocardiographic findings in fulminant and acute myocarditis, 227
Expression of tumor necrosis factor-alpha-converting enzyme and tumor necrosis factor-alpha in human myocarditis, 1288
Immunoglobulin treatment ameliorates murine myocarditis associated with reduction of neurohumoral activity and improvement of extracellular matrix coverage, 1979
Nasal administration of cardiac myosin suppresses autoimmune myocarditis in mice, 1992

Myocardium
Cardiac troponin I predicts myocardial dysfunction in aneurysmal subarachnoid hemorrhage, 1328
Contrast-enhanced magnetic resonance imaging of myocardium at risk, 1985
Delta opioid receptor stimulation mimics ischemic preconditioning in human heart muscle, 2296
Evaluation of viral infection in the myocardium of patients with idiopathic dilated cardiomyopathy, 1920
Evidence of reduced resting blood flow in viable myocardial regions with chronic asynergy, 2146
Noninvasive characterization of stunned, hibernating, remodeled and nonviable myocardium in ischemic cardiomyopathy, 1913
Relation of tissue Doppler derived myocardial velocities to myocardial structure and beta-adrenergic receptor density in humans, 891
Sarcolemmal Na+/H+ exchanger activity and expression in human ventricular myocardium, 534
Time course and extent of improvements of dysfunctioning myocardium in patients with coronary artery disease and severely depressed left ventricular function after revascularization: correlation with positron emission tomographic findings, 1927

Myocytes
Chronic therapy with metoprolol attenuates cardiomyocyte apoptosis in dogs with heart failure, 1698
Endothelin-1 as a protective factor against beta-adrenergic agonist-induced apoptosis in cardiac myocytes, 1411
Relation of tissue Doppler derived myocardial velocities to myocardial structure and beta-adrenergic receptor density in humans, 891
Sarcolemmal Na+/H+ exchanger activity and expression in human ventricular myocardium, 534

Myosin
Nasal administration of cardiac myosin suppresses autoimmune myocarditis in mice, 1992

$Na+/Ca^{2+}$ exchanger
Is myocardial $Na+/Ca^{2+}$ exchanger transcription a marker for different stages of myocardial dysfunction? Quantitative polymerase chain reaction of the messenger RNA in endomyocardial biopsies in patients with heart failure, 233

Na+/H+ exchanger
Sarcolemmal Na+/H+ exchanger activity and expression in human ventricular myocardium, 534

Neointima
8-Chloro-cAMP inhibits smooth muscle cell proliferation in vitro and neointima formation induced by balloon injury in vivo, 288
Hyperinsulinemia during oral glucose tolerance test is associated with increased neointimal tissue proliferation after coronary stent implantation in nondiabetic patients, 731
Local delivery of 17-beta-estradiol decreases neointimal hyperplasia after coronary angioplasty in a porcine model, 1972
Neointimal thickening after stent delivery of paclitaxel: change in composition and arrest of growth over six months, 2325
Troglitazone reduces neointimal tissue proliferation after coronary stent implantation in patients with non-insulin dependent diabetes mellitus, 1529

Neutropenia
Risk of neutropenia with clopidogrel (letter), 1436

Neutrophils
Neutrophil superoxide anion-generating capacity, endothelial function and oxidative stress in chronic heart failure: effects of short- and long-term vitamin C therapy, 1474

Nitrates
See also Nitroglycerin
Effects of a nitrate-free interval on tolerance, vasoconstrictor sensitivity and vascular superoxide production, 627

Nitric oxide
Baroreceptor dysfunction induced by nitric oxide synthase inhibition in humans, 213
Calculation of resistance to pulmonary perfusion (letter), 1440
Contribution of endogenous nitric oxide to basal vasomotor tone of peripheral vessels and plasma b-type natriuretic peptide levels in patients with congestive heart failure, 1605
Endogenous inhibitor of nitric oxide synthase regulates endothelial adhesiveness for monocytes, 2287
Inhaled nitric oxide selectively dilates pulmonary vasculature in adult patients with pulmonary hypertension, irrespective of etiology, 2204
Insertion/deletion polymorphism of the angiotensin-converting enzyme gene determines coronary vascular tone and nitric oxide activity, 1579
Left ventricular assist device implantation augments nitric oxide dependent control of mitochondrial respiration in failing human hearts, 1897
Responses to constant work rate bicycle ergometry exercise in primary pulmonary hypertension: the effect of inhaled nitric oxide, 547
Sildenafil citrate potentiates the hypotensive effects

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

of nitric oxide donor drugs in male patients with stable angina, 25
Nitroglycerin
Nitroglycerin rebound associated with vascular, rather than platelet, hypersensitivity, 2311
Nurses
President's page: high-quality cardiovascular care threatened by shortage of nurses and allied health professionals, 1722
Obesity
President's page: the epidemic of type 2 diabetes and obesity in the U.S.: cause for alarm, 2347
Occlusion
Changes in high-frequency QRS components are more sensitive than ST-segment deviation for detecting acute coronary artery occlusion, 1827
Late total occlusion after intracoronary brachytherapy for patients with in-stent restenosis, 65
Occlusive arterial disease
Basic fibroblast growth factor in patients with intermittent claudication: results of a phase I trial, 1239
Randomized, placebo-controlled trial of the angiotensin-converting enzyme inhibitor, ramipril, in patients with coronary or other occlusive arterial disease, 438
Omapatrilat
Clinical, cardiac, renal, arterial and neurohormonal effects of omapatrilat, a vasopeptidase inhibitor, in patients with chronic heart failure, 479
Opioid receptors
Delta opioid receptor stimulation mimics ischemic preconditioning in human heart muscle, 2296
Orbofiban
Evidence of platelet activation during treatment with a GPIIb/IIIa antagonist in patients presenting with acute coronary syndromes, 1514
Outcome studies
Angiographic no-reflow phenomenon as a predictor of adverse long-term outcome in patients treated with percutaneous transluminal coronary angioplasty for first acute myocardial infarction, 1202
Comparison of short- and long-term outcomes for balloon angioplasty and coronary stent placement, 395
Contemporary outcome trends in the elderly undergoing percutaneous coronary interventions: results in 7,472 octogenarians, 723
Diabetes and outcomes of coronary artery bypass graft surgery in patients with severe left ventricular dysfunction: results from the CABG Patch Trial database, 1166
Improving outcome over time of percutaneous coronary interventions in unstable angina, 674
Long-term clinical outcome after endoluminal reconstruction of diffusely degenerated saphenous vein grafts with less-shortening Wallstents, 387
Long-term outcome in congenitally corrected transposition of the great arteries, 255
Outcome of patients with congestive heart failure treated with standard versus high doses of enalapril: a multicenter study, 2090
Outcomes of left atrial isomerism over a 28-year period at a single institution, 908
Outcomes 15 years after valve replacement with a mechanical versus a bioprosthetic valve: final report of the Veterans Affairs Randomized Trial, 1152
Treatment and outcomes of left bundle-branch block patients with myocardial infarction who present without chest pain, 706
Over-the-counter medications
OTC or not OTC-that is the question, 1426
Oxidative stress
Neutrophil superoxide anion-generating capacity, endothelial function and oxidative stress in chronic heart failure: effects of short- and long-term vitamin C therapy, 1474
Oxygen consumption
Differential effects of high-frequency versus low-frequency exercise training in rehabilitation of patients with coronary artery disease, 202
Incremental prognostic importance of body fat adjusted peak oxygen consumption in chronic heart failure, 2126
Oxygen Uptake Efficiency Slope
Oxygen Uptake Efficiency Slope: an index of exercise performance and cardiopulmonary reserve requiring only submaximal exercise, 194
Pacing
Biventricular pacing diminishes the need for implantable cardioverter defibrillator therapy, 824
Diagnostic value of tachycardia features and pacing maneuvers during paroxysmal supraventricular tachycardia, 574
Pacing stress echocardiography: an alternative to pharmacologic stress testing, 1935
Rate-dependence of QT dispersion and the QT interval: comparison of atrial pacing and exercise testing, 1654
Paclitaxel
Neointimal thickening after stent delivery of paclitaxel: change in composition and arrest of growth over six months, 2325
Paroxysmal supraventricular tachycardia
Diagnostic value of tachycardia features and pacing maneuvers during paroxysmal supraventricular tachycardia, 574
Partial left ventriculectomy
Acute and short-term effects of partial left ventriculectomy in dilated cardiomyopathy: assessment by pressure-volume loops, 2104
Batista's operation: what have we learned? (editorial), 2115
Results of partial left ventriculectomy for dilated cardiomyopathy: hemodynamic, clinical and echocardiographic observations, 2098
Patent foramen ovale
Transmitral Doppler: a new transthoracic contrast method for patent foramen ovale detection and quantification, 1959
Peak oxygen consumption
Incremental prognostic importance of body fat adjusted peak oxygen consumption in chronic heart failure, 2126
Pediatric cardiology
See also Congenital anomalies and defects
Elective primary repair of acyanotic tetralogy of Fallot in early infancy: overall outcome and impact on the pulmonary valve, 2279
Isolated ductus arteriosus aneurysm in the fetus and infant: a multi-institutional experience, 255
Long-term effect of angiotensin-converting enzyme inhibitor in volume overloaded heart during growth: a controlled pilot study, 270
Long-term outcome in congenitally corrected transposition of the great arteries, 255
Medium-term findings in coronary arteries by intravascular ultrasound in infants and children after heart transplantation, 250
Myocardial bridging does not predict sudden death in children with hypertrophic cardiomyopathy but is associated with more severe cardiac disease, 2270
Myocardial perfusion and function of the systemic right ventricle in patients after atrial switch procedure for complete transposition: long-term follow-up, 1365
Myocardial viability assessed by positron emission tomography in infants and children after the arterial switch operation and suspected infarction, 1676
Outcomes of left atrial isomerism over a 28-year period at a single institution, 908
Percutaneous coronary interventions
Contemporary outcome trends in the elderly undergoing percutaneous coronary interventions: results in 7,472 octogenarians, 723
Facilitation of early percutaneous coronary intervention after reteplase with or without abciximab in acute myocardial infarction, 1489
Fate of stent-related side branches after coronary intervention in patients with in-stent restenosis, 1549
Improvement of myocardial perfusion reserve early after coronary intervention: assessment with cardiac magnetic resonance imaging, 1557
Occurrence and clinical significance of pseudothrombocytopenia during abciximab therapy, 75
Preexisting arterial remodeling is associated with in-hospital and late adverse cardiac events after coronary intervention in patients with stable angina pectoris, 1860
Prognostic implications of further renal function deterioration within 48 h of interventional coronary procedures in patients with pre-existent chronic renal insufficiency, 1542
Union in reperfusion: the concept of facilitated percutaneous coronary intervention (editorial), 1497
Unraveling the pathophysiology of percutaneous coronary intervention: is it in the genes? (editorial), 1526
Percutaneous transluminal coronary angioplasty
Angiographic no-reflow phenomenon as a predictor of adverse long-term outcome in patients treated with percutaneous transluminal coronary angioplasty for first acute myocardial infarction, 1202
Angioplasty for acute myocardial infarction in community hospital without surgical back-up: response to Wharton and Angelini publications "Should guidelines be changed?: Not whether but when" (letter), 299
Changes in high-frequency QRS components are more sensitive than ST-segment deviation for detecting acute coronary artery occlusion, 1827
Comparison of short- and long-term outcomes for balloon angioplasty and coronary stent placement, 395
Effects of intracoronary brachytherapy on the natural history of postangioplasty dissections, 59
Inhibition of tissue factor reduces thrombus formation and intimal hyperplasia after porcine coronary angioplasty, 2303
Local delivery of 17-beta-estradiol decreases

neointimal hyperplasia after coronary angioplasty in a porcine model, 1972
Medical therapy versus coronary angioplasty in stable coronary artery disease: a critical review of the literature (review), 668
Short- and long-term mortality for patients undergoing primary angioplasty for acute myocardial infarction, 1194
Ten-year experience with early angioplasty in 759 patients with acute myocardial infarction, 51
Vascular repair after balloon overstretch injury in porcine model effects of intracoronary radiation, 1389

Perfusion
See Myocardial perfusion

Pericarditis
Single site radiofrequency catheter ablation of atrial fibrillation: studies guided by simultaneous multisite mapping in the canine sterile pericarditis model, 917

Pharmacy and pharmacists
Pharmacists agree: stop the pharmacy madness (letter), 1432
Pharmacy perspective on managed care madness (letter), 1432

Phenylephrine
Effect of phenylephrine on focal atrial fibrillation originating in the pulmonary veins and superior vena cava, 788

Phosphodiesterase inhibitors
Acute type 5 phosphodiesterase inhibition with sildenafil enhances flow-mediated vasodilation in patients with chronic heart failure, 845

Phospholipase C
Enhanced phospholipase C activity in the cultured skin fibroblast obtained from patients with coronary spastic angina: possible role for enhanced vasoconstrictor response, 1847

Physicians
Alert to physicians: possible interaction of aggrenox and adenosine (letter), 1432

Platelets
Antiplatelet effects of clopidogrel compared with aspirin after myocardial infarction: enhanced inhibitory effects of combination therapy, 699
Critical appraisal of platelet glycoprotein IIb/IIIa inhibition (review), 2028
Evidence of platelet activation during treatment with a GPIIb/IIIa antagonist in patients presenting with acute coronary syndromes, 1514
Nitroglycerin rebound associated with vascular, rather than platelet, hypersensitivity, 2311
Pl^{A2}, a variant of GPIIIa implicated in coronary thromboembolic complications (editorial), 90
Pl^{A} polymorphism of glycoprotein IIIa and risk of adverse effects after coronary stent placement, 84
Platelet GPIIb/IIIa receptor blockade reduces infarct size in a canine model of ischemia-reperfusion, 2317

Positron emission tomography
Myocardial viability assessed by positron emission tomography in infants and children after the arterial switch operation and suspected infarction, 1676
Time course and extent of improvements of dysfunctioning myocardium in patients with coronary artery disease and severely depressed left ventricular function after revascularization: correlation with positron emission tomographic findings, 1927

Postmenopausal women
See Women

Potassium channel blockers
Electropharmacological characterization of cardiac repolarization in German shepherd dogs with an inherited syndrome of sudden death: abnormal response to potassium channel blockers, 939

Preconditioning
Delta opioid receptor stimulation mimics ischemic preconditioning in human heart muscle, 2296
Exercise training restores ischemic preconditioning in the aging heart, 643

Pressure-volume loops
Acute and short-term effects of partial left ventriculectomy in dilated cardiomyopathy: assessment by pressure-volume loops, 2104

Progesterone
Natural progesterone, but not medroxyprogesterone acetate, enhances the beneficial effect of estrogen on exercise-induced myocardial ischemia in postmenopausal women, 2154

Prospective Randomized Amlodipine Survival Trial
Circadian rhythm and sudden death in heart failure, 541

Prosthetic valves
Hemodynamic and clinical impact of prosthesis-patient mismatch in the aortic valve position and its prevention (review), 1131
Outcomes 15 years after valve replacement with a mechanical versus a bioprosthetic valve: final report of the Veterans Affairs Randomized Trial, 1152

Prothrombin variant G20210A
Prevalence of factor V Leiden and prothrombin variant G20210A in patients age <50 years with no significant stenoses at angiography after three to four weeks after myocardial infarction, 717

P-selectin
Vascular adhesion protein-1, intracellular adhesion molecule-1 and P-selectin mediate leukocyte binding to ischemic heart in humans, 122

Pseudothrombocytopenia
Occurrence and clinical significance of pseudothrombocytopenia during abciximab therapy, 75

Pulmonary artery
Pulmonary artery trauma due to balloon dilation: recognition, avoidance and management, 1684

Pulmonary blood flow
Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction: contribution of the difference in duration of pulmonary venous and mitral flow at atrial contraction, 1295

Pulmonary capillary wedge pressure
Relationship of echocardiographic indices to pulmonary capillary wedge pressure in healthy volunteers, 1664

Pulmonary edema
High-dose intravenous isosorbide-dinitrate is safer and better than Bi-PAP ventilation combined with conventional treatment for severe pulmonary edema, 832

Pulmonary embolism
Cardiac troponin I elevation in acute pulmonary embolism is associated with right ventricular dysfunction, 1632
Massive pulmonary embolism: percutaneous emergency treatment by pigtail rotation catheter, 375

Pulmonary hypertension
Inhaled nitric oxide selectively dilates pulmonary vasculature in adult patients with pulmonary hypertension, irrespective of etiology, 2204
Responses to constant work rate bicycle ergometry exercise in primary pulmonary hypertension: the effect of inhaled nitric oxide, 547

Pulmonary valve
Elective primary repair of acyanotic tetralogy of Fallot in early infancy: overall outcome and impact on the pulmonary valve, 2279
Pulmonary valve replacement in adults late after repair of tetralogy of Fallot: are we operating too late?, 1670

Pulmonary vascular resistance
Calculation of resistance to pulmonary perfusion (letter), 1440

Pulmonary veins
Effect of phenylephrine on focal atrial fibrillation originating in the pulmonary veins and superior vena cava, 788

Pulsed Doppler myocardial mapping
Regional diastolic function by pulsed Doppler myocardial mapping for the detection of left ventricular ischemia during pharmacologic stress testing, 444

QT interval
Measurement, interpretation and clinical potential of QT dispersion (review), 1749
Rate-dependence of QT dispersion and the QT interval: comparison of atrial pacing and exercise testing, 1654

QT syndrome
Electrical behavior of T-wave polarity alternans in patients with congenital long QT syndrome, 167
Long QT syndromes: genetic basis and clinical implications (review), 1

Quality of life
Impairment of health-related quality of life in patients with intermittent atrial fibrillation: implications for the assessment of investigational therapy, 1303

Race
Effect of race on coronary bypass operative mortality, 1870
Explaining the race paradox of coronary calcium prevalence and survival (letter), 308
Impact of heavy passive smoking on arterial endothelial function in modernized Chinese, 1228
Prevalence and correlates of aortic regurgitation in American Indians: the Strong Heart Study, 461

Radiation therapy
Methodological and clinical implications of the relocation of the minimal luminal diameter after intracoronary radiation therapy, 1536
Vascular repair after balloon overstretch injury in porcine model effects of intracoronary radiation, 1389

Radiofrequency ablation
Single site radiofrequency catheter ablation of atrial fibrillation: studies guided by simultaneous multisite mapping in the canine sterile pericarditis model, 917

Radiopharmaceuticals
Dobutamine-atropine stress echocardiography and dipyridamole sestamibi scintigraphy for the detection of coronary artery disease: limitations and concordance, 1265
Prognostic implications of Tc-99m sestamibi viability imaging and subsequent therapeutic strategy in patients with chronic coronary artery disease and left ventricular dysfunction, 739
Right ventricular abnormalities assessed by myocardial single-photon emission computed

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

tomography using technetium-99m sestamibi/tetrofosmin in right ventricle-originated ventricular tachyarrhythmias, 1767

Ramipril
Randomized, placebo-controlled trial of the angiotensin-converting enzyme inhibitor, ramipril, in patients with coronary or other occlusive arterial disease, 438

Rehabilitation
Differential effects of high-frequency versus low-frequency exercise training in rehabilitation of patients with coronary artery disease, 202

Remodeling
Antiremodeling effects on the left ventricle during beta-blockade with metoprolol in the treatment of chronic heart failure, 2072
Preexisting arterial remodeling is associated with in-hospital and late adverse cardiac events after coronary intervention in patients with stable angina pectoris, 1860
Signaling and expression of mitochondrial membrane proteins during left ventricular remodeling and contractile failure after myocardial infarction, 282

Renal function
Prognostic implications of further renal function deterioration within 48 h of interventional coronary procedures in patients with pre-existent chronic renal insufficiency, 1542
Risks associated with renal dysfunction in patients in the coronary care unit, 679

Reperfusion
Cardiopulmonary cerebral resuscitation using emergency cardiopulmonary bypass, coronary reperfusion therapy and mild hypothermia in patients with cardiac arrest outside the hospital, 776
Dichloroacetate improves postischemic function of hypertrophied rat hearts, 1378
Randomized trial of the effects of early cardiac serum marker availability on reperfusion therapy in patients with acute myocardial infarction, 1500
Transmural contractile reserve after reperfused myocardial infarction in dogs, 2339
Union in reperfusion: the concept of facilitated percutaneous coronary intervention (editorial), 1497

Repolarization
Marked ventricular repolarization abnormalities in highly trained athletes' electrocardiograms: clinical and prognostic implications, 1310

Restenosis
See also Stenosis
Endoluminal reconstruction of the arterial wall with endothelial cell/glue matrix reduces restenosis in an atherosclerotic rabbit, 1396
Fate of stent-related side branches after coronary intervention in patients with in-stent restenosis, 1549
Late total occlusion after intracoronary brachytherapy for patients with in-stent restenosis, 65
Protective role against restenosis from an interleukin-1 receptor antagonist gene polymorphism in patients treated with coronary stenting, 2168
Six-month clinical and angiographic outcome after successful excimer laser coronary angioplasty for in-stent restenosis, 69

Reteplase
Facilitation of early percutaneous coronary intervention after reteplase with or without abciximab in acute myocardial infarction, 1489

Revascularization
Cardiogenic shock complicating acute myocardial infarction-etiologies, management and outcome: a report from the SHOCK Trial registry, 1063
Management of coronary artery disease: therapeutic options in patients with diabetes (review), 355
Medical therapy versus coronary angioplasty in stable coronary artery disease: a critical review of the literature (review), 668
Results from late-breaking clinical trials sessions at ACCIS 2000 and ACC 2000, 310
Time course and extent of improvements of dysfunctioning myocardium in patients with coronary artery disease and severely depressed left ventricular function after revascularization: correlation with positron emission tomographic findings, 1927

Right ventricle
See also Ventricular function
Cardiac troponin I elevation in acute pulmonary embolism is associated with right ventricular dysfunction, 1632
Clinical profile and long-term follow-up of 37 families with arrhythmogenic right ventricular cardiomyopathy, 2226
Myocardial perfusion and function of the systemic right ventricle in patients after atrial switch procedure for complete transposition: long-term follow-up, 1365
Right ventricular abnormalities assessed by myocardial single-photon emission computed tomography using technetium-99m sestamibi/tetrofosmin in right ventricle-originated ventricular tachyarrhythmias, 1767

Risk assessment and stratification
Cardiac troponin I for stratification of early outcomes and the efficacy of enoxaparin in unstable angina: a TIMI-11B study, 1812
Challenge of improving risk assessment in asymptomatic individuals: the additive prognostic value of electron beam tomography? (editorial), 1261
Challenges in comparing risk-adjusted bypass surgery mortality results, 2174
Comparison of T-wave alternans, signal averaged electrocardiography and programmed ventricular stimulation for arrhythmia risk stratification, 2247
Plasma concentration of soluble vascular cell adhesion molecule-1 and subsequent cardiovascular risk, 423
Reduced procedural risk for coronary catheter interventions in carriers of the coagulation factor VII-Gln353 gene, 1520
Risks associated with renal dysfunction in patients in the coronary care unit, 679
Risk stratification in unstable angina: the role of clinical prediction models (editorial), 1809
Risk stratification with cardiac troponin I in acute coronary syndromes (editorial), 1824
Validated risk stratification model accurately predicts low risk in patients with unstable angina, 1803

Risk factors
Exercise BP response in subjects with high-normal BP, 1626
High levels of plasma brain natriuretic peptide and interleukin-6 after optimized treatment for heart failure are independent risk factors for morbidity and mortality in patients with congestive heart failure, 1587
How deadly is the "deadly quartet"?, 1159
Impact of social support, cynical hostility and anger expression on progression of coronary atherosclerosis, 1781
Pulse pressure and risk for myocardial infarction and heart failure in the elderly, 130
Sudden death in hypertrophic cardiomyopathy: identification of high risk patients, 2212
Survival analysis and risk factors for mortality in transplantation and staged surgery for hypoplastic left heart syndrome, 1178

Romano-Ward syndrome
Long QT syndromes: genetic basis and clinical implications (review), 1

Ross procedure
Up to seven years of experience with the Ross procedure in patients >60 years of age, 1173

Saphenous vein grafts
Influence of diabetes mellitus on early and late clinical outcomes in saphenous vein graft stenting, 1186
Long-term clinical outcome after endoluminal reconstruction of diffusely degenerated saphenous vein grafts with less-shortening Wallstents, 387
Prognostic factors for atherosclerosis progression in saphenous vein grafts: the Postcoronary Artery Bypass Graft (post-CABG) trial, 1877

Saphenous veins
HMG-CoA reductase inhibition improves endothelial cell function and inhibits smooth muscle cell proliferation in human saphenous veins, 1691

Serum markers
Divergent effects of hormone therapy on serum markers of inflammation in postmenopausal women with coronary artery disease on appropriate medical management, 1797
Randomized trial of the effects of early cardiac serum marker availability on reperfusion therapy in patients with acute myocardial infarction, 1500

Shock
See Cardiogenic shock

SHOCK Trial
Angiographic findings and clinical correlates in patients with cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1077
Cardiogenic shock complicating acute myocardial infarction-etiologies, management and outcome: a report from the SHOCK Trial registry, 1063
Cardiogenic shock due to acute severe mitral regurgitation complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1104
Cardiogenic shock due to cardiac free-wall rupture or tamponade after acute myocardial infarction: a report from the SHOCK Trial registry, 1117
Cardiogenic shock with non-ST-segment elevation myocardial infarction: a report from the SHOCK Trial registry, 1091
Clinical profile of patients with suspected cardiogenic shock due to predominant left ventricular failure: a report from the SHOCK Trial registry, 1071
Diabetes mellitus in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1097
Impact of thrombolysis, intra-aortic balloon pump counterpulsation, and their combination in cardiogenic shock complicating acute

myocardial infarction: a report from the SHOCK Trial regis .y, 1123
Implications of the timing of onset of cardiogenic shock after acute myocardial infarction: a report from the SHOCK Trial registry, 1084
Outcome and profile of ventricular septal rupture with cardiogenic shock after myocardial infarction: a report from the SHOCK Trial registry, 1110

Sildenafil citrate
Acute type 5 phosphodiesterase inhibition with sildenafil enhances flow-mediated vasodilation in patients with chronic heart failure, 845
Sildenafil citrate potentiates the hypotensive effects of nitric oxide donor drugs in male patients with stable angina, 25

Simvastatin
Simvastatin inhibits the monocyte expression of proinflammatory cytokines in patients with hypercholesterolemia, 427

Single-photon emission computed tomography
See also Computed tomography
Noninvasive characterization of stunned, hibernating, remodeled and nonviable myocardium in ischemic cardiomyopathy, 1913
Right ventricular abnormalities assessed by myocardial single-photon emission computed tomography using technetium-99m sestamibi/tetrofosmin in right ventricle-originated ventricular tachyarrhythmias, 1767

Smoking
Impact of heavy passive smoking on arterial endothelial function in modernized Chinese, 1228
Smoking cessation reduces mortality after coronary artery bypass surgery: a 20-year follow-up study, 878

Smooth muscle cells
8-Chloro-cAMP inhibits smooth muscle cell proliferation in vitro and neointima formation induced by balloon injury in vivo, 288
HMG-CoA reductase inhibition improves endothelial cell function and inhibits smooth muscle cell proliferation in human saphenous veins, 1691

Sotalol
Class III antiarrhythmic effect of sotalol exerts a reverse use-dependent positive inotropic effect in the intact canine heart, 1404

Spironolactone
Spironolactone inhibits the transcardiac extraction of aldosterone in patients with congestive heart failure, 838

Statins
See HMG CoA reductase inhibitors; specific statin

Stenosis
See also Restenosis
Coronary flow reserve improves after aortic valve replacement for aortic stenosis: an adenosine transthoracic echocardiography study, 1889
Improved assessment of mitral valve stenosis by volumetric real-time three-dimensional echocardiography, 1355
Noninvasive detection of coronary artery stenosis using contrast-enhanced three-dimensional breath-hold magnetic resonance coronary angiography, 44

Stents and stenting
Comparison of short- and long-term outcomes for balloon angioplasty and coronary stent placement, 395
Fate of stent-related side branches after coronary intervention in patients with in-stent restenosis, 1549
French Randomized Optimal Stenting Trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography, 404
Hyperinsulinemia during oral glucose tolerance test is associated with increased neointimal tissue proliferation after coronary stent implantation in nondiabetic patients, 731
Influence of diabetes mellitus on early and late clinical outcomes in saphenous vein graft stenting, 1186
Late total occlusion after intracoronary brachytherapy for patients with in-stent restenosis, 65
Long-term clinical outcome after endoluminal reconstruction of diffusely degenerated saphenous vein grafts with less-shortening Wallstents, 387
Neointimal thickening after stent delivery of paclitaxel: change in composition and arrest of growth over six months, 2325
Nonocclusive coronary dissections: to stent or not to stent? (letter), 303
PI^{A2}, a variant of GPIIIa, implicated in coronary thromboembolic complications (editorial), 90
PI^{A} polymorphism of glycoprotein IIIa and risk of adverse effects after coronary stent placement, 84
Protective role against restenosis from an interleukin-1 receptor antagonist gene polymorphism in patients treated with coronary stenting, 2168
Provisional stenting strategies: systematic overview and implications for clinical decision-making (review), 1142
Six-month clinical and angiographic outcome after successful excimer laser coronary angioplasty for in-stent restenosis, 69
Synergistic approach to optimal stenting: directional coronary atherectomy (DCA) prior to coronary artery stent implantation-the AtheroLink registry, 1853
Troglitazone reduces neointimal tissue proliferation after coronary stent implantation in patients with non-insulin dependent diabetes mellitus, 1529

Stress echocardiography
See also Echocardiography
Dobutamine-atropine stress echocardiography and dipyridamole sestamibi scintigraphy for the detection of coronary artery disease: limitations and concordance, 1265
Left ventricular systolic dysfunction during exercise and dobutamine stress in patients with hypertrophic cardiomyopathy, 856
Pacing stress echocardiography: an alternative to pharmacologic stress testing, 1935
Rapid stress-testing protocol for the detection of coronary artery disease: comparison of two-stage transesophageal atrial pacing stress echocardiography with dobutamine stress echocardiography, 1659

Stress testing
See also Exercise testing
American College of Cardiology/American Heart Association clinical competence statement on stress testing, 1441
Pacing stress echocardiography: an alternative to pharmacologic stress testing, 1935
Regional diastolic function by pulsed Doppler myocardial mapping for the detection of left ventricular ischemia during pharmacologic stress testing, 444

Stroke
Treatment of underlying atrial fibrillation: paced rhythm obscures recognition, 784

ST segment
ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction, 970
Cardiogenic shock with non-ST-segment elevation myocardial infarction: a report from the SHOCK Trial registry, 1091
Changes in high-frequency QRS components are more sensitive than ST-segment deviation for detecting acute coronary artery occlusion, 1827
Exercise performance-based outcomes of medically treated patients with coronary artery disease and profound ST segment depression, 2140
Low molecular weight heparin decreases rebound ischemia in unstable angina or non-Q-wave myocardial infarction: the Canadian ESSENCE ST segment monitoring study, 1507
Platelet glycoprotein IIb/IIIa blockade and outcome of cardiogenic shock complicating acute coronary syndromes without persistent ST-segment elevation, 685
Statistical methods to improve the precision of the treadmill exercise test, 1274

Subarachnoid hemorrhage
Cardiac troponin I predicts myocardial dysfunction in aneurysmal subarachnoid hemorrhage, 1328

Sudden death
Circadian rhythm and sudden death in heart failure, 541
Coronary anatomy in acute myocardial infarction patients with sudden out-of-hospital death (letter), 1433
Electropharmacological characterization of cardiac repolarization in German shepherd dogs with an inherited syndrome of sudden death: abnormal response to potassium channel blockers, 939
Glycoprotein IIIa $P1^{A1/A2}$ polymorphism and sudden cardiac death, 1317
Myocardial bridging does not predict sudden death in children with hypertrophic cardiomyopathy but is associated with more severe cardiac disease, 2270
Sudden death in hypertrophic cardiomyopathy: identification of high risk patients, 2212

Superoxide
Effects of a nitrate-free interval on tolerance, vasoconstrictor sensitivity and vascular superoxide production, 627

Surgery
See also Ablation; Coronary artery bypass graft surgery; Radiofrequency ablation
Atrial fibrillation after minimally invasive direct coronary artery bypass surgery, 1884
Coronary echocardiography in tetralogy of Fallot: diagnostic accuracy, resource utilization and surgical implications over 13 years, 1371
Outcomes 15 years after valve replacement with a mechanical versus a bioprosthetic valve: final report of the Veterans Affairs Randomized Trial, 1152
Survival analysis and risk factors for mortality in transplantation and staged surgery for hypoplastic left heart syndrome, 1178
Up to seven years of experience with the Ross procedure in patients >60 years of age, 1173

JACC Vol. 36, No. 7, 2000
December 2000:2361–79

Syncope
Misdiagnosis of epilepsy: many seizure-like attacks have a cardiovascular cause, 181
Provocation of neurocardiogenic syncope by clomipramine administration during the head-up tilt test in vasovagal syndrome, 174
Tilt methodology in reflex syncope: emerging evidence (editorial), 179
Syndrome X
Physical training in Syndrome X: physical training counteracts deconditioning and pain in Syndrome X, 1619
Systolic function
Left ventricular systolic dysfunction during exercise and dobutamine stress in patients with hypertrophic cardiomyopathy, 856
Tachycardia
See Ventricular tachycardia
Testing
See Exercise testing
Tetralogy of Fallot
Coronary echocardiography in tetralogy of Fallot: diagnostic accuracy, resource utilization and surgical implications over 13 years, 1371
Elective primary repair of acyanotic tetralogy of Fallot in early infancy: overall outcome and impact on the pulmonary valve, 2279
Pulmonary valve replacement in adults late after repair of tetralogy of Fallot: are we operating too late?, 1670
Thrombin
Thrombin formation and fibrinolytic activity in patients with acute myocardial infarction or unstable angina: in-hospital course and relationship with recurrent angina at rest, 2036
Thromboembolism
PI^{A2}, a variant of GPIIIa implicated in coronary thromboembolic complications (editorial), 90
Thrombogenesis
Thrombogenesis and fibrinolysis in acute coronary syndromes (editorial), 2044
Thrombolytic therapy
See also Fibrinolysis
Decreasing hospital mortality between 1994 and 1998 in patients with acute myocardial infarction treated with primary angioplasty but not in patients treated with intravenous thrombolysis, 2064
Effect of very early angiotensin-converting enzyme inhibition on left ventricular dilation after myocardial infarction in patients receiving thrombolysis, 2047
Impact of thrombolysis, intra-aortic balloon pump counterpulsation, and their combination in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial registry, 1123
Short- and long-term results after thrombolytic therapy of deep venous thrombosis, 1336
Thrombolytic therapy in older patients, 366
Thrombus
Inhibition of tissue factor reduces thrombus formation and intimal hyperplasia after porcine coronary angioplasty, 2303
Tilt testing
How the left and right sides of the heart, as well as pulmonary venous drainage, adapt to an increasing degree of head-up tilting in hypertrophic cardiomyopathy: differences from the normal heart, 185
Provocation of neurocardiogenic syncope by clomipramine administration during the head-up tilt test in vasovagal syndrome, 174
Tilt methodology in reflex syncope: emerging evidence (editorial), 179
Tissue factor
Inhibition of tissue factor reduces thrombus formation and intimal hyperplasia after porcine coronary angioplasty, 2303
Tobacco use
See Smoking
Transposition of the great arteries
Long-term outcome in congenitally corrected transposition of the great arteries, 255
Myocardial perfusion and function of the systemic right ventricle in patients after atrial switch procedure for complete transposition: long-term follow-up, 1365
Trauma
Pulmonary artery trauma due to balloon dilation: recognition, avoidance and management, 1684
Tricuspid regurgitation
Quantification of tricuspid regurgitation by measuring the width of the vena contracta with Doppler color flow imaging: a clinical study, 472
Troglitazone
Troglitazone reduces neointimal tissue proliferation after coronary stent implantation in patients with non-insulin dependent diabetes mellitus, 1529
Troponin I
Ability of troponin I to predict cardiac events in patients admitted from the emergency department, 1818
Cardiac troponin I elevation in acute pulmonary embolism is associated with right ventricular dysfunction, 1632
Cardiac troponin I for stratification of early outcomes and the efficacy of enoxaparin in unstable angina: a TIMI-11B study, 1812
Cardiac troponin I predicts myocardial dysfunction in aneurysmal subarachnoid hemorrhage, 1328
Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy, 517
Risk stratification with cardiac troponin I in acute coronary syndromes (editorial), 1824
Tumor necrosis factor-alpha
Elevated circulating levels of serum tumor necrosis factor-alpha in patients with hemodynamically significant pressure and volume overload, 208
Expression of tumor necrosis factor-alpha-converting enzyme and tumor necrosis factor-alpha in human myocarditis, 1288
Tumor necrosis factor-alpha-converting enzyme
Expression of tumor necrosis factor-alpha-converting enzyme and tumor necrosis factor-alpha in human myocarditis, 1288
T-wave alternans
Comparison of T-wave alternans, signal averaged electrocardiography and programmed ventricular stimulation for arrhythmia risk stratification, 2247
Electrical behavior of T-wave polarity alternans in patients with congenital long QT syndrome, 167
T-wave alternans and serious ventricular arrhythmias: a tale of two T-waves (editorial), 2254
Ultrafiltration
Lack of improvement of lung diffusing capacity following fluid withdrawal by ultrafiltration in chronic heart failure, 1600
Unstable angina
See Angina pectoris
Uremia
Cardiac beta-adrenoceptors in chronic uremia: studies in humans and rats, 607
Urinary bladder
See Bladder
Valvular disease
See also specific valve
Coronary flow reserve improves after aortic valve replacement for aortic stenosis: an adenosine transthoracic echocardiography study, 1889
Elevated circulating levels of serum tumor necrosis factor-alpha in patients with hemodynamically significant pressure and volume overload, 208
Limited posterior left atrial cryoablation in patients with chronic atrial fibrillation undergoing valvular heart surgery, 159
Postoperative exercise tolerance after aortic valve replacement by small-size prosthesis, 871
Prevalence and correlates of aortic regurgitation in American Indians: the Strong Heart Study, 461
Quantification of tricuspid regurgitation by measuring the width of the vena contracta with Doppler color flow imaging: a clinical study, 472
Surgical left atrial appendage ligation is frequently incomplete: a transesophageal echocardiographic study, 468
Valvulopathy
Underestimation of the valvulopathy effect of fenfluramine (letter), 1434
Vascular adhesion protein-1
Vascular adhesion protein-1, intracellular adhesion molecule-1 and P-selectin mediate leukocyte binding to ischemic heart in humans, 122
Vascular cell adhesion molecule-1
Plasma concentration of soluble vascular cell adhesion molecule-1 and subsequent cardiovascular risk, 423
Vasoconstriction
Contribution of endogenous nitric oxide to basal vasomotor tone of peripheral vessels and plasma b-type natriuretic peptide levels in patients with congestive heart failure, 1605
Effects of a nitrate-free interval on tolerance, vasoconstrictor sensitivity and vascular superoxide production, 627
Enhanced phospholipase C activity in the cultured skin fibroblast obtained from patients with coronary spastic angina: possible role for enhanced vasoconstrictor response, 1847
Gender differences in sensitivity to adrenergic agonists of forearm resistance vasculature, 1233
Vasodilation
Acute type 5 phosphodiesterase inhibition with sildenafil enhances flow-mediated vasodilation in patients with chronic heart failure, 845
Enhanced peripheral vasodilation in humans after a fatty meal, 417
Oral glucose loading acutely attenuates endothelium-dependent vasodilation in healthy adults without diabetes: an effect prevented by vitamins C and E, 2185
Vasomotion
Contribution of bradykinin receptors dysfunction to abnormal coronary vasomotion in humans, 1467
Vasopeptidase inhibitors
Clinical, cardiac, renal, arterial and neurohormonal effects of omapatrilat, a vasopeptidase inhibitor, in patients with chronic heart failure, 479

Vasovagal syndrome
Provocation of neurocardiogenic syncope by clomipramine administration during the head-up tilt test in vasovagal syndrome, 174
Vena contracta
Quantification of tricuspid regurgitation by measuring the width of the vena contracta with Doppler color flow imaging: a clinical study, 472
Ventricular arrhythmias
See also Arrhythmias
Lipid lowering drugs and recurrences of life-threatening ventricular arrhythmias in high-risk patients, 766
T-wave alternans and serious ventricular arrhythmias: a tale of two T-waves (editorial), 2254
Ventricular fibrillation
Mode of onset of ventricular fibrillation in patients with Brugada syndrome detected by implantable cardioverter defibrillator therapy, 1646
Monophasic versus biphasic transthoracic countershock after prolonged ventricular fibrillation in a swine model, 932
Obstacle-induced transition from ventricular fibrillation to tachycardia in isolated swine right ventricles, 2000
Ventricular function
See also Left ventricle; Right ventricle
Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy, 517
Ventricular septum
Outcome and profile of ventricular septal rupture with cardiogenic shock after myocardial infarction: a report from the SHOCK Trial registry, 1110
Ventricular tachycardia
Clusters of ventricular tachycardias signify impaired survival in patients with idiopathic dilated cardiomyopathy and implantable cardioverter defibrillators, 566
Demonstration of diastolic and presystolic Purkinje potentials as critical potentials in a macroreentry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 811
Obstacle-induced transition from ventricular fibrillation to tachycardia in isolated swine right ventricles, 2000
Right ventricular abnormalities assessed by myocardial single-photon emission computed tomography using technetium-99m sestamibi/tetrofosmin in right ventricle-originated ventricular tachyarrhythmias, 1767
Ventricular tachycardias above the initially programmed tachycardia detection interval in patients with implantable cardioverter-defibrillators, 557
Ventricular wall
Cardiogenic shock due to cardiac free-wall rupture or tamponade after acute myocardial infarction: a report from the SHOCK Trial registry, 1117
Carotid artery vasoreactivity in response to sympathetic stress correlates with coronary disease risk and is independent of wall thickness, 2192
Ventriculectomy
Acute and short-term effects of partial left ventriculectomy in dilated cardiomyopathy: assessment by pressure-volume loops, 2104
Batista's operation: what have we learned? (editorial), 2115
Results of partial left ventriculectomy for dilated cardiomyopathy: hemodynamic, clinical and echocardiographic observations, 2098
Verapamil
Demonstration of diastolic and presystolic Purkinje potentials as critical potentials in a macroreentry circuit of verapamil-sensitive idiopathic left ventricular tachycardia, 811
Postcardioversion atrial electrophysiologic changes induced by oral verapamil in patients with persistent atrial fibrillation, 2234
Viagra
See Sildenafil citrate
Vitamin C
Oral glucose loading acutely attenuates endothelium-dependent vasodilation in healthy adults without diabetes: an effect prevented by vitamins C and E, 2185
Vitamin E
Oral glucose loading acutely attenuates endothelium-dependent vasodilation in healthy adults without diabetes: an effect prevented by vitamins C and E, 2185
Vitamin E supplementation improves endothelial function in type I diabetes mellitus: a randomized, placebo-controlled study, 94
Volume overload
Long-term effect of angiotensin-converting enzyme inhibitor in volume overloaded heart during growth: a controlled pilot study, 270
von Willebrand factor
Effects of various anticoagulant treatments on von Willebrand factor release in unstable angina, 1110
Weight cycling
Weight cycling and high-density lipoprotein cholesterol in women: evidence of an adverse effect, 1565
Women
Clinical benefit of glycoprotein IIb/IIIa blockade with abciximab is independent of gender, 381
Divergent effects of hormone therapy on serum markers of inflammation in postmenopausal women with coronary artery disease on appropriate medical management, 1797
Effect of type 1 diabetes mellitus on the gender difference in coronary artery calcification, 2160
Estrogen is associated with improved survival in aging women with congestive heart failure: analysis of the Vesnarinone studies, 529
Gender differences in sensitivity to adrenergic agonists of forearm resistance vasculature, 1233
Hormone replacement therapy and distensibility of carotid arteries in postmenopausal women: a randomized, controlled trial, 1789
Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening, 39
Natural progesterone, but not medroxyprogesterone acetate, enhances the beneficial effect of estrogen on exercise-induced myocardial ischemia in postmenopausal women, 2154
Weight cycling and high-density lipoprotein cholesterol in women: evidence of an adverse effect, 1565